

Visit: www.thesafetyequipmentstore.com Or Email: besafe@thesafetyequipmentstore.com for Sales & Service.

PAS[®] Lite Compressed Air Breathing Apparatus

Safety has never been so simple.

Dräger PAS[®] Lite – Keep operations going with this simple, easy to use and maintain self-contained breathing apparatus.

Whether you are interested in plant maintenance or plant and operational safety, the new PAS Lite from one of the world's largest and most innovative SCBA manufacturers has a lot to offer.

EASY TO MAINTAIN

Reduce downtime and increase productivity. Easy assembly and disassembly, as well as non-absorbent, chemical-resistant materials make cleaning and maintaining the PAS Lite a snap. In a liquid permeability test, the PAS Lite scored 18 times better than traditional SCBAs.

DURABLE COMPONENTS YOU CAN COUNT ON

Strong, durable harness materials and carbon composite space frame and the same pneumatics as found in professional fire fighting breathing apparatus ensure the workers can count on the PAS Lite when they need it. The PAS Lite harness scored five times higher than standard harness materials on the Martindale test for durability.

IMPROVED WEARING COMFORT

We utilized state-of-the-art pressure mapping technology to improve stability and reduce back strain, stress, and fatigue, as well as using a carbon composite space-frame and non-metallic buckles to decrease the weight the wearer must carry. The PAS Lite is more than a pound lighter than its predecessor, the Dräger ProAir Evolution.

MINIMIZED COST OF OWNERSHIP

With no electronics, durable space-frame and harness and the time you save maintaining your PAS Lite, the cost of keeping the apparatus functioning throughout its lifetime is minimal.



PAS Lite

Easy to use and maintain



Accessories for every challenge

- Pneumatic gauge with integral high pressure whistle warning in the space-frame
- Integrated Lung Demand Valves
- Compatible with Dräger Panorama Nova and FPS 7000 Full Face Masks
- Electronic voice communication options
- Aluminum or carbon composite cylinders
- Secondary supply connections for rescue and decontamination
- Airline-ready options including an integral Dräger PAS ASV
- ChargeAir ready options for fast re-filling of the cylinders
- Easy integration with all Dräger airline equipment

Visit: www.thesafetyequipmentstore.com Or Email: besafe@thesafetyequipmentstore.com for Sales & Service.

Minimal cost of ownership



ST-4001-2005

-39879-2011

FPS® 7000 full face mask range



RescuePak



PAS ASV Automatic Switch Over Valve

TECHNICAL DATA

Dimensions (H x W x D)	23.2 x 11.4 x 6.3 inches (59 x 29 x 16 cm)
Weight (including LDV)	5.95 lb. (2.70 kg)
Weight with Integrated PAS ASV (including LDV)	7.72 lb. (3.50 kg)
Input Pressure	0-4500 PSI
Nominal 1st Stage Output Pressure	87-130 PSI
1st Stage Output Flow	>1000 L/min
LDV Output Flow	>400 L/min
Whistle Activation Pressure	554 PSI, 1125 PSI
Whistle Sound Level	>90 dBA
Approvals	NOSH

ORDER INFORMATION

PAS Lite with integrated lung demand valve (LDV)	
PAS Lite – 2216 PSI	4046190
PAS Lite - 4500 PSI	4046191
PAS Lite with integrated lung demand valve (LDV) and integrated Charge-air connection	
Charge-Air Kit 2216 PSI	3354021
Charge-Air Kit 4500 PSI	3359020
PAS Lite with integrated lung demand valve (LDV) and integrated Airline	
complete with an automatic switch over device	
PAS Lite Airline 2216 PSI	3358911
PAS Lite Airline 4500 PSI	3358912
ACCESSORIES	
Permanent fit unit for use in conjunction with Dräger PAS Lite	
Breathing Apparatus and an external air supply	
Dräger PAS ASV for PAS Lite - permanent fit	on reques
Breathing Apparatus and an external air supply	
LDV Holder	3357527
LDV Holder	3334633
Breathing Apparatus Hard-shell Carrying Case	4059430

3310260

Breathing Apparatus Storage Cabinet (polycarbonate)



HEADQUARTERS Dräger Safety AG & Co. KGaA

Revalstrasse 1 23560 Lübeck, Germany

www.draeger.com

Г

SUBSIDIARIES

CANADA Draeger Canada Ltd.

7555 Danbro Crescent Mississauga, Ontario L5N 6P9 Tel +1 905 821-8988 Fax +1 905 821-2565

Customer Service Tel 877 372 4371 Fax 800 329 8823

MEXICO

٦

_

Draeger Safety S.A. de C.V. Carretera San Luis Potosi Km 21 Bodega No. 1 y 2 "Condominio Industrial Santa Rosa Bloque SMED" Querétaro Qro México CP 72220 Tel +52 442 246-1113 Fax +52 442 246-1114

Technical Service Tel 888 794 3806 Fax 888 794 3807

Draeger Safety, Inc. 101 Technology Drive

Pittsburgh, PA 15275

Tel +1 412 787-8383

Fax +1 412 787-2207

Customer Service

Tel 800 858 1737

Fax 800 922 5519

USA

Visit: www.thesafetyequipmentstore.com Or Email: besafe@thesafetyequipmentstore.com for Sales & Service.