



# Head & Face Protection



**3M**

H-701R

## 3M™ H-700 Series Hard Hat

- » Short-brim design safeguards wearers without weighing them down
- » Blend of protection and wearability
- » 4-point ratchet or pinlock suspension system has brow pad, height adjustment and optional ventilation
- » ANSI/ISEA Z89.1-2014
- » Additional colors and styles available

ITEM #	ORDER #	DESCRIPTION	UOM
H-701R	665527011	White 4-Point Ratchet Suspension, Non-Vented	EA
H-701P	665577821	White 4-Point Pinlock Suspension, Non-Vented	EA
H-701T	665540711	White 4-Point Ratchet, Elevated Temperature Hat, Non-Vented	EA
H-701V	665536041	White 4-Point Ratchet Suspension, Vented	EA



**3M**

82501-00000

## 3M™ Ratchet Headgear H8A

- » For use with 3M™ Faceshields (sold separately)
- » High strength thermoplastic crown provides impact resistance
- » Adjustable ratchet suspension with five position crown strap offers a customized fit
- » ANSI Z87.1-2003

ITEM #	ORDER #	DESCRIPTION	UOM
82501-00000	665520871	H8A Ratchet Headgear	EA

### WARNING

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and/ or splash see supervisor, read User Instructions and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



**3M**

H-801R-UV

## 3M™ H-800 Series Hard Hat

- » Comfortable, tough and lightweight
- » Full-brim hard hats sit lower on the head to reduce pressure and increase security
- » 4-point ratchet suspension system
- » Replaceable brow pad
- » ANSI/ISEA Z89.1-2014
- » Additional colors and styles available

ITEM #	ORDER #	DESCRIPTION	UOM
H-801R	665587211	White 4-Point Ratchet Suspension, Non-Vented	EA
H-801R-UV	665587431	White 4-Point Ratchet Suspension, with Uvicator, Non-Vented	EA



**3M**

82783-00000

## 3M™ Ratchet Headgear

### 82783-00000

- » Safety system comes with headgear and faceshield
- » Molded faceshield provides impact protection
- » Five position crown strap and thirteen position ratchet suspension offer customization to individual wearers
- » ANSI Z87.1-2003

### 82521-10000

- » Uses WP98 window (82543-0000), sold separately
- » Five position crown strap
- » Requires protective eyewear, sold separately
- » ANSI Z87.1-2003

ITEM #	ORDER #	DESCRIPTION	UOM
82783-00000	665564351	H8A Safety System Comes with Headgear and Faceshield Together, Clear Polycarbonate	EA
82521-10000	665573411	HCP8 Clear Polycarbonate Chin Protector	EA



# Head & Face Protection



## 3M™ Faceshields

- » Mounts quickly to 3M™ headgear systems
- » Mounts inside crown for added splash protection
- » ANSI Z87.1-2003



82702-00000

ITEM #	ORDER #	DESCRIPTION	Size	UOM
82700-00000	665573961	WP96 Clear Propionate	9" x 14.5" x 0.08"	EA
82701-00000	665564341	WP96 Clear Polycarbonate	9" x 14.5" x 0.08"	EA
82702-00000	665573571	WP96C Dark Green Polycarbonate	9" x 14.5" x 0.08"	EA
82543-00000	665573441	WP98 Clear Polycarbonate	7.25" x 14.5" x 0.04"	EA

### WARNING

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read User Instructions and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



## Classic Series Hard Hats

- » 6-point Flex-Gear® ratchet suspension with large, absorbent cotton brow pad
- » ANSI/ISEA Z89.1-2014, Type I, Class E & G
- » Additional colors available

ITEM #	ORDER #	DESCRIPTION	UOM
<b>Cap Style</b>			
C30FGR	164804841	Forest Green	EA
C30KBR	164804951	Kentucky Blue	EA
C30ORR	164805091	Orange	EA
C30RDR	164805131	Red	EA
C30WHR	164805231	White	EA
C30YLR	164805251	Yellow	EA

### Full-Brim

C33KBR	164805971	Kentucky Blue	EA
C33RDR	164806151	Red	EA
C33WHR	164806251	White	EA
C33YLR	164806271	Yellow	EA



C30YLR



C33RDR



# Head & Face Protection



## Standard Series S51 Hard Hats

- » High-density, polyethylene shell with flat front, low-profile design
- » Accessory slots for attachments
- » Rain trough brim
- » ANSI/ISEA Z89.1-2014
- » Additional colors available



51KBP

ITEM #	ORDER #	DESCRIPTION	UOM
51KBP	164807111	Kentucky Blue, 4-Point Self-Sizing Pinlock Suspension	EA
51WHP	164807661	White, 4-Point Self-Sizing Pinlock Suspension	EA
51YLP	164807701	Yellow, 4-Point Self-Sizing Pinlock Suspension	EA
51KBR	164807131	Kentucky Blue, 4-Point Flex-Gear® Ratchet Suspension	EA
51WHR	164807681	White, 4-Point Flex-Gear® Ratchet Suspension	EA
51YLR	164807721	Yellow, 4-Point Flex-Gear® Ratchet Suspension	EA



## Standard Series S61 Hard Hats

- » High-density, polyethylene shell with rounded front, low-profile design
- » 4-point Flex-Gear® ratchet suspension
- » Accessory slots for attachments
- » ANSI/ISEA Z89.1-2014
- » Additional colors available



61HOR

ITEM #	ORDER #	DESCRIPTION	UOM
61HOR	164807971	Orange	EA
61KBR	164808011	Kentucky Blue	EA
61RDR	164808091	Red	EA
61WHR	164808131	White	EA
61YLR	164808151	Yellow	EA



## Headpiece Replacement Parts

### RBPCOTTON

- » Absorbent cotton replacement brow pad
- » Fits all Bullard® suspensions
- » Easy, Velcro® design

### RBPCOOL

- » Polartec replacement brow pad
- » Wicking material moves sweat away from the worker's brow
- » Fits all Bullard® suspensions
- » Easy, Velcro® design



RBPCOTTON

ITEM #	ORDER #	DESCRIPTION	UOM
RBPCOTTON	164802961	Cotton Replacement Brow Pad	EA
RBPCOOL	164810511	Polartec Replacement Brow Pad	EA



# Head & Face Protection



## Visors

- » For eye and face protection when used in combination with Bullard® headgear or faceshield brackets
- » Available in flat or heat-formed acetate, clear flat or heat-formed polycarbonate, Shade 3 and 5 flat polycarbonate, flat or heat-formed Tritan™, flat polyester and wire mesh screens
- » ANSI/ISEA Z87.1



840P



8S24

ITEM #	ORDER #	DESCRIPTION	Color	Size	UOM
640	164808451	Flat Acetate Visor	Clear	6" x 15" x .040"	EA
640G	164808461	Flat Acetate Visor	Dark Green	6" x 15" x .040"	EA
640PW3	164801331	Polycarbonate Visor	Shade 3	6" x 15" x .040"	EA
640PW5	164801341	Polycarbonate Visor	Shade 5	6" x 15" x .040"	EA
680P	164808471	Polycarbonate Visor, Heat-Formed	Clear	6" x 15" x .080"	EA
840M	164808201	Flat Acetate Visor	Clear	8" x 15" x .040"	EA
840ME	164808801	Flat Polyester Visor	Clear	8" x 15" x .040"	EA
840MG	164808811	Flat Acetate Visor	Dark Green	8" x 15" x .040"	EA
840MH	164808821	Multi-Fit Acetate Visor, Heat-Formed	Clear	8" x 15" x .040"	EA
840MX2	164808831	Flat Acetate Visor for Sentinel 2 Only	Clear	7" x 15" x .040"	EA
840P	164808841	Polycarbonate Visor, Heat-Formed	Clear	8" x 15" x .040"	EA
840PW3	164801361	Flat Multi-Fit Polycarbonate Visor	Shade 3	8" x 15" x .040"	EA
840PW5	164801371	Flat Multi-Fit Polycarbonate Visor	Shade 5	8" x 15" x .040"	EA
840PX2	164808851	Polycarbonate Visor for Sentinel 2 Only, Heat-Formed	Clear	7" x 15" x .040"	EA
840PX2W3	164801381	Polycarbonate Visor for Sentinel 2 Only, Heat-Formed	Shade 3	7" x 15" x .040"	EA
840PX2W5	164801391	Polycarbonate Visor for Sentinel 2 Only, Heat-Formed	Shade 5	7" x 15" x .040"	EA
840T	164814821	Tritan™ Visor, Heat-Formed	Clear	8" x 15" x .040"	EA
840TX2	164801401	Tritan™ Visor for Sentinel 2 Only	Clear	7" x 15" x .040"	EA
860H	164808861	Acetate Visor, Heat-Formed	Clear	8" x 15" x .060"	EA
860P	164808871	Polycarbonate Visor, Heat-Formed	Clear	8" x 15" x .060"	EA
860T	164801481	Tritan™ Visor, Heat-Formed	Clear	8" x 15" x .060"	EA
880P	164809091	Polycarbonate Visor, Heat-Formed	Clear	8" x 15" x .080"	EA
880T	164801431	Tritan™ Visor, Heat-Formed	Clear	8" x 15" x .080"	EA
6S24	164801321	Mesh Screen Visor, Plastic Frames	Black	6" x 15" x 24"	EA
8S24	164808791	Mesh Screen Visor, Metal Frames	Black	8" x 15" x 24"	EA
CS40	164801061	Flat Multi-Fit Acetate Visor	Clear	9" x 19.75" x .040"	EA
E840ME	164801451	Economy Flat Multi-Fit Polyester Visor	Clear	8" x 15" x .040"	EA
WS60PM	164804211	Flat Multi-Fit Polycarbonate Visor	Clear	9" x 19.75" x .060"	EA
WS60TM	164801351	Flat Multi-Fit Tritan™ Visor	Clear	9" x 19.75" x .060"	EA



## Gold Line Faceshield Brackets

- » Aluminized
- » Chemical resistance and high-heat
- » ANSI/ISEA Z87.1



100G

ITEM #	ORDER #	DESCRIPTION	UOM
100G	164804331	For Cap Style	EA
112G	164804361	For Full Brim Style	EA



## Dielectric Faceshield Brackets

- » Nylon
- » Lightweight
- » ANSI/ISEA Z87.1



300B

ITEM #	ORDER #	DESCRIPTION	UOM
300B	164805261	Band Mounting	EA
300BW	164805271	Band Mounting with Neoprene Gasket	EA



# Head & Face Protection

**Honeywell**

FIBRE-METAL



E2RW71A000



E1RW71A000

## SuperEight® Caps and Hats

- » High-quality thermoplastic hats and caps
- » Unique, smooth crown that eliminates the danger of falling objects being trapped by ribs, ridges or slots
- » Wearer can adjust head size by using rear-located ratchet mechanism and tilting the headband
- » All hats and caps include 8-point suspension and available with Fibre-Metal non-slip/non-strip ratchet, SwingStrap™ or TabLok™ headgear
- » All styles are SEI certified to meet ANSI Z89.1-2009, Type 1, Class E
- » Additional colors available

ITEM #	ORDER #	DESCRIPTION	UOM
<b>Hard Cap</b>			
E2RW01A000	614609301	White	EA
E2RW02A000	614609321	Yellow	EA
E2RW15A000	614609311	Red	EA
E2RW71A000	347686911	Blue	EA
E2RW74A000	347686821	Green	EA

ITEM #	ORDER #	DESCRIPTION	UOM
<b>Full Brim Hard Hat</b>			
E1RW01A000	614609151	White	EA
E1RW09A000	614600161	Gray	EA
E1RW11A000	347684541	Black	EA
E1RW71A000	614609271	Blue	EA
E1RW46A289	341573091	Hi-Viz Strong Orange	EA

**Honeywell**

NORTH

## North Zone Hard Hat

- » Slots for cap-mounted earmuffs, face shields and other PPE accessories
- » 3-level height adjustment (Low, Medium, High) for greater stability, balance and retention
- » Removable, replaceable rear comfort cradle for improved fit and comfort
- » Easy-grip ratchet for smooth and precise headband adjustment, even when wearing gloves
- » Ergonomic headband for easy adjustment to 3 different sizes (S, M/L and XL)
- » Approved to be worn in the reverse position
- » Moisture-wicking, breathable sweatband; easily removable, washable and replaceable
- » Short brim and low-profile design for increased field of vision and user mobility
- » ANSI/ISEA Z89.1 2014 Type I, Class C, G and E
- » Additional colors available



N10050000

ITEM #	ORDER #	DESCRIPTION	UOM
<b>Quick-Fit Suspension</b>			
N10010000	341574151	White	EA
N10020000	341574161	Yellow	EA
N10030000	341574171	Orange	EA
N10150000	347600371	Red	EA
N10440000	341574301	Hi-Viz Strong Yellow	EA
N10460000	341574311	Hi-Viz Strong Orange	EA

ITEM #	ORDER #	DESCRIPTION	UOM
<b>Ratchet Suspension</b>			
N10R010000	341574321	White	EA
N10R020000	341574331	Yellow	EA
N10R030000	341574341	Orange	EA
N10R130000	341574431	Gold	EA
N10R150000	341574441	Red	EA
N10R440000	341574471	Hi-Viz Strong Yellow	EA
N10R460000	341574481	Hi-Viz Strong Orange	EA



# Head & Face Protection



## Turboshield™ Faceshield and Replacement Visors

- » Flexible head-cushioning suspension cradle provides for all-day wear
- » Simple push-button release system allows for easy visor exchange in seconds
- » Control knobs are large and ergonomically designed for easy adjustment — even while wearing gloves
- » More chin coverage compared to traditional visors, without the need for bulky accessories
- » Visor slides back seven inches, improving balance and weight distribution. Enhanced clearance. Dual-hinge design increases clearance by as much as four inches and keeps accessory slots open for compatibility with other PPE
- » ANSI Z87.1-2010 and CSA Z94.3



S9500

ITEM #	ORDER #	DESCRIPTION	UOM
S9500	341595011	Turboshield Ratchet Headgear, Black	EA
S9510	341595101	Turboshield Hard Hat Adapter, Black	EA

### Replacement Visors

S9550	341595501	Clear, Uncoated	EA
S9555	341595551	Clear, Hardcoat/Anti-Fog	EA
S9560	341595601	UV/IR Shade 3.0, Uncoated	EA
S9565	341595651	UV/IR Shade 5.0, Uncoated	EA
S9575	341595751	Gray, Hardcoat/Anti-Fog	EA



11380048

## Protecto-Shield® Replacement Visors

- » Easy attachment without snaps, posts or levers
- » Reinforced edge to resist cracking
- » Universal hole pattern allows the use of visors with other popular manufacturers' headgear
- » Aluminum bound acetate replacement visors form easily for a contoured, customized fit
- » ANSI Z87+ (High Impact) and CSA Z94.3 safety standards

ITEM #	ORDER #	DESCRIPTION	UOM
11380048	341500481	Polycarbonate, Medium Green	EA
11390064	341500441	Propionate, Clear	EA
11390065	341500471	Polycarbonate, Clear	EA
11390069	341537891	Propionate, Shade 6.0	EA



S8500

## Bionic® Faceshield and Replacement Visors

- » Easily replaceable visor with dual position choices
- » Comfortable cell foam on back of headgear
- » Breathable, removable, washable headband
- » Black matte finish
- » Comfortably worn with most goggles and respirators
- » Hard hat accessory is compatible with multiple hard hats
- » Meets ANSI Z87+ (High Impact) and CSA Z94.3 standard

ITEM #	ORDER #	DESCRIPTION	UOM
S8500	341535081	Face Shield with Uncoated Visor	EA
S8510	341535101	Face Shield with Clear Anti-Fog/Hardcoat Visor	EA

### Replacement Visors

S8550	341535121	Clear, Uncoated	EA
S8555	341535131	Clear, Anti-Fog/Hardcoat	EA
S8560	341535141	Shade 3.0, Uncoated	EA
S8565	341535151	Shade 5.0, Uncoated	EA

**WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov



# Head & Face Protection

## Honeywell



### F300, F400 and F500 Series Faceshield Headgear

- » All models feature lightweight and heat-resistant Noryl® (the same material used in welding helmets) crown protectors and ratchet headbands (windows sold separately)
- » Meets ANSI Z87.1+ High Impact standard and certified to the requirements of the CSA Z94.3 standard

#### F300

- » Lightweight faceshield headgear provides general face protection
- » Easily fits over spectacles, leaving room for air circulation to prevent fogging
- » Accommodates standard size (8" x 11 1/2") windows

#### F400

- » Features a deeper 4" crown protector to extend protection without increasing weight
- » Incorporates wide-vision (8" x 17") wraparound windows and screens which provide 40% more protective area than standard size faceshields
- » Fits easily over required spectacles or respirators

#### F500

- » Includes a broader, deeper 7" crown protector to provide an extra margin of protection
- » Features the exclusive Channel Grip System that mounts wide, wraparound windows and locks them into place to form a perfect seal from dust, dirt and debris
- » Includes Fibre-Metal classic 3-C, free-floating headgear



F500

ITEM #	ORDER #	DESCRIPTION	UOM
F300	347686341	Light-duty faceshield headgear w/ 3" crown protector	EA
F400	614601731	Medium-duty faceshield headgear w/ 4" crown protector	EA
F500	614601761	Heavy-duty faceshield headgear w/ 7" crown protector	EA

## Honeywell



### Faceshield Headgear Combinations

- » Protective cap-mounting mechanisms easily and safely secure Fibre-Metal® faceshields to hard hats
- » Constructed from Noryl®, these faceshield brackets offer durable protection
- » Model 5000 with Speedy® Loop mounting loops is adjustable and provides easy on and off mounting on protective caps



F5400

ITEM #	ORDER #	DESCRIPTION	UOM
F5400	614601771	F500 faceshield bracket w/ Speedy Loop mounts, 4" crown	EA
F5500	614601781	F500 faceshield bracket w/ Speedy Loop mounts, 7" crown	EA
5000	614606911	5000 Speedy Loop attachment & adapter headband kit	EA



# Head & Face Protection

## Honeywell



### Faceshield Hard Hat Brackets

- » Provides positive seal to keep debris from filtering between cap and shield
- » May be pivoted above cap between uses without removing the cap
- » Hard hat and faceshield not included

ITEM #	ORDER #	DESCRIPTION	UOM
FM70	614602441	Fully dielectric mounting bracket for Fibre-Metal P2, E2 hard hats	EA
FH66	614601811	Aluminum mounting bracket for Fibre-Metal P2, E2 hard hats	EA



FH66

## Honeywell



### High-Performance® Faceshield Windows

- » Windows are preformed to the exact curve of crown protectors for easy installation, exact fit and perfect seal against dust, dirt and debris
- » .060" thick
- » Easily fit over required protective spectacles or respirators
- » Hard hat and frame not included.



4178CL

ITEM #	ORDER #	DESCRIPTION	COLOR	SIZE	UOM
4118CL	614606221	Standard window, fits F300 Series	Clear	8" x 11 1/4"	EA
4178CL	614606241	Wide window, fits F400, F500 Series & FH66, FM70, FM71	Clear	8" x 16 1/2"	EA
4178DGN	614606251	Wide window, fits F400, F500 Series & FH66, FM70, FM71	Dark Green	8" x 16 1/2"	EA
4178IRUV5	614606271	Wide window, fits F400, F500 Series & FH66, FM70, FM71	Shade 5.0	8" x 16 1/2"	EA
4199CL	614606291	Extended view window, fits F400, F500 Series & FH66	Clear	9 3/4" x 19"	EA
4199DGN	614606301	Extended view window, fits F400, F500 Series & FH66	Dark Green	9 3/4" x 19"	EA
4199IRUV5	614606321	Extended view window, fits F400, F500 Series & FH66	Shade 5.0	9 3/4" x 19"	EA

## JACKSON

### Jackson Safety® SC-6 Hard Hats

- » Molded from dielectric HDPE (High Density Polyethylene)
- » 4-Point Ratchet from head sizes: 6-1/2 to 8
- » Slots for attaching additional PPE
- » ANSI Z89.1 - 2009, Class C, G & E



14839

ITEM #	ORDER #	DESCRIPTION	UOM
14833	C24115871	Yellow	EA
14834	C24115881	White	EA
14837	C24115901	Green	EA
14838	C24115911	Blue	EA
14839	C24115921	Orange	EA
14841	C24115931	Red	EA





# Head & Face Protection



14381



## Jackson Safety\* Headgear HDG10

- » Secures 12" or 15.5" face shields
- » Soft, absorbent wrap-around foam cushioned sweatband

ITEM #	ORDER #	DESCRIPTION	UOM
14381	C24112961	K-Facesaver	EA



14940



## Jackson Safety\* Headgear HDG30, 170-SB

- » Compatible with all Jackson Safety Face Shields, sold separately
- » Easily attaches the face shield to the hard hat, sold separately
- » Includes a built-in sweatband
- » Ratchet suspension adjust to fit

ITEM #	ORDER #	DESCRIPTION	UOM
14940	C24116141	Head Gear for Hard Hat	EA



14944



## Jackson Safety\* 382 B Cap Adapter

- » Dielectric for use with slotted caps
- » Polyethylene spark deflector with pivoting blades
- » Face shields (sold separately) are secured with internal plastic lugs
- » Attaches to Jackson Safety Sentry III, Charger and SC-6 Hard Hats (sold separately)

ITEM #	ORDER #	DESCRIPTION	UOM
14944	C24116191	Capmount Adapter	EA



14946



14947



14948



## Jackson Safety\* Cap Shields

### 337

- » Totally dielectric for non-slotted caps
- » Curved plastic channel fits over the bill, secures with adjustable rubber headband
- » Face shields are sold separately
- » Attaches to SC-6, Sentry III and Charger Hard Hats (sold separately)

### 437

- » Totally dielectric for slotted caps; Face shields are secured with integral plastic lugs
- » Curved plastic channel fits over the bill, includes pivoting blades that snap into cap slots
- » Face shields are sold separately
- » Attaches to SC-6, Sentry III and Charger Hard Hats (sold separately)

### 137

- » Metal device for non-slotted caps
- » Curved aluminum channel and coil spring attachment
- » Face shields are sold separately
- » Attaches to SC-6, Sentry III and Charger Hard Hats (sold separately)

ITEM #	ORDER #	DESCRIPTION	UOM
14946	C24116211	337 Capshield	EA
14947	C24116221	437 Capshield	EA
14948	C24116231	137 Capshield	EA



# Head & Face Protection



## Jackson Safety\* Hatshield Attachment

- » Easily attaches faceshields
- » Aluminum channel and coil spring attachment
- » Face shields are sold separately
- » Attaches only to full-brim hard hats

ITEM #	ORDER #	DESCRIPTION	UOM
14393	C24112701	Model H Bracket Hat Adapter	EA
14945	C24116201	37 Spring Mounted Hat Adapter	EA



14393



14945



## Jackson Safety\* Faceshields

- » Various materials available for different uses
- » Designed for use with Jackson Safety headgear
- » ANSI Z87.1



29090



29055

ITEM #	ORDER #	DESCRIPTION	Size	UOM
<b>F20 Polycarbonate</b>				
29087	C24118581	Polycarbonate, Clear, Unbound	8" x 15.5" x .060"	EA
<b>F30 Acetate</b>				
29052	C24114231	Acetate, Clear Bound	8" x 15.5" x .040"	EA
29053	C24114301	Acetate, Medium Green, Bound	8" x 15.5" x .040"	EA
29079	C24118381	Acetate, Clear, Bound	9" x 15.5" x .040"	EA
29082	C24118471	Acetate, Light Green, Bound	9" x 15.5" x .040"	EA
29090	C24118641	Acetate, Dark Green, Bound	9" x 15.5" x .040"	EA
29091	C24118671	Acetate, Clear, Bound	9" x 15.5" x .040"	EA
<b>F40 Polycarbonate</b>				
29080	C24118401	Polycarbonate, IRUV 5.0, Unbound	8" x 15.5" x .060"	EA
<b>F60 Wire Mesh</b>				
29055	C24114221	Wire Face Shield - Mesh, Bound	8" x 15.5" x .020"	EA
29102	C24126011	F60 Wire Face Shield - Mesh, Bound	6" x 15" x .0"0"9	EA

**⚠ WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## Headgear and Faceshields

- » Headgear and faceshields offer superior protection from liquid splashes and flying debris
- » Assortment of brackets, faceshield sizes and materials



103



101640

ITEM #	ORDER #	DESCRIPTION	Size	UOM
102	331404401	Aluminum Face Shield Bracket for Hardhat		EA
103	331401031	Ratchet Take Up Headgear		EA
101640	331404391	Clear PETG Faceshield	10" x 15.5" x .040"	EA
102040	331404411	Visor, Clear PETG Faceshield	10" x 20" x .040"	EA
181540	331404461	Visor, Clear Polycarbonate Faceshield	8" x 15.5" x .040"	EA
181560	331404471	Clear Polycarbonate Faceshield	8" x 15.5" x .060"	EA
181640	331410721	Clear PETG Faceshield	8" x 16" x .040"	EA
181640A	331404481	Clear PETG Faceshield Aluminum Bound	8" x 16" x .040"	EA



# Head & Face Protection



## V-Gard® Frames

- » Unique 3-point visor loading to fit and remove visors quickly
- » Sloped design allows material to easily slide off the frame
- » Perfect Compatibility with many half-mask respirators and more
- » Non-metal construction for use in electrical applications
- » Replaceable, optional debris control creates tight seal between frame and helmet
- » Universal= Heavy-duty, flat, rubber strap for easy and secure placement on MSA slotted and non-slotted helmets
- » ET frames are tested to temperatures of 350°F (176.7°C), reducing warping, cracking or crazing
- » ANSI/ISEA Z87.1-2010 and CSA Z94



10154622

ITEM #	ORDER #	DESCRIPTION	UOM
10115730	3085850D1	HDPE Frame for MSA Slotted Caps	EA
10121266	3085851D1	HDPE Frame for MSA Slotted Caps, w/o Debris Control	EA
10115822	3085852D1	HDPE Frame for Universal MSA Caps, w/o Debris Control	EA
10121268	3085853D1	HDPE Frame for Universal MSA Caps, w/o Debris Control	EA
10115821	308558281	Polycarbonate Frame for Slotted MSA Caps, Elevated Temp	EA
10154622	308546221	PBT Frame for Slotted Full-Brim MSA Caps	EA



## V-Gard® Visors

- » Designed for use with V-Gard® Frames and V-Gard® Headgear
- » ANSI/ISEA Z87.1-2010

ITEM #	ORDER #	DESCRIPTION	Size	UOM
10115836	3085355E1	Polycarbonate, Contoured, Clear PC	8" x 17" x 0.04"	EA
10115840	308507381	Polycarbonate, Contoured, Clear PC	8" x 17" x 0.06"	EA
10115855	3085340E1	Propionate, Clear, Molded	8" x 17" x 0.098"	EA
10116557	3085854D1	Plastic Edged Wire Mesh	8" x 17"	EA




10115855



## Replacement Suspensions for V-Gard® Caps and Hats

- » For Staz-on® and Fas-Trac® III suspensions



10148708

ITEM #	ORDER #	DESCRIPTION	UOM
10087218	3085196C1	Staz-On® Suspension for, V-Gard® Cap or Hat	EA
10153385	308501811	Fas-Trac® III Replacement Suspension, for Skullgard® and Comfo-Cap® Helmets	EA
10148708	308587081	Fas-Trac® III Replacement Suspension for V-Gard®, V-Gard® 500, V-Gard® GREEN and SmoothDome® Helmets	EA



## Terri-Band Sweatbands

- » Snap-in sweatbands fit all MSA helmets
- » Absorbent and comfortable
- » Machine washable



696688

ITEM #	ORDER #	DESCRIPTION	UOM
696688	308566885	Sweatbands	10/Pk



# Head & Face Protection



## V-Gard® Protective Cap

- » Polyethylene shell provides superior impact protection
- » Self-adjusting crown straps ensure a comfortable fit
- » Slots designed to work with MSA accessories to help ensure compliance with both the helmet and the accessory
- » ANSI/ISEA Z87.1-2009, Type 1, Class E



475359



463947

ITEM #	ORDER #	DESCRIPTION	UOM
<b>Slotted Cap with Staz-On® Suspension</b>			
463942	308571271	White	EA
463943	308571281	Blue	EA
463944	308571301	Yellow	EA
463945	308571321	Orange	EA
463947	308571311	Red	EA
815558	308505581	Bright Lime Green	EA

ITEM #	ORDER #	DESCRIPTION	UOM
<b>Slotted Cap with Fas-Trac® III Suspension</b>			
475358	308503581	White	EA
475359	308506451	Blue	EA
475360	308506441	Yellow	EA
475361	308553611	Orange	EA
475363	308508811	Red	EA
815565	3085226B1	Bright Lime Green	EA
10061512	308536791	Hi-Viz Yellow	EA



475368

## V-Gard® Full Brim Protective Hat

- » Polyethylene shell provides superior impact protection
- » Self-adjusting crown straps ensure a comfortable fit
- » Additional colors available
- » Meets ANSI Z89.1-2014, Type 1, Class E, CSA Z94.1-2015 (Class E) and voluntary standard for low temperature [LT] and reverse donning

ITEM #	ORDER #	DESCRIPTION	UOM
<b>Slotted with Staz-On Suspension</b>			
454732	308547541	Blue	EA
454733	308547331	White	EA
454734	308547551	Orange	EA
454735	308547561	Green	EA
454736	308547361	Red	EA

### Slotted with Fas-Trac® III Suspension

475366	308555661	Yellow	EA
475367	308555671	Gray	EA
475368	308553681	Blue	EA
475369	308553701	White	EA
475370	308555681	Green	EA
475371	308553711	Red	EA
815570	308599251	Bright Lime-Green	EA
10021292	308520351	Hi-Viz Orange	EA



10034020

## V-Gard® 500 Vented Protective Hat

- » Robust design, durable shell construction
- » Cooling vents for improved air circulation and comfort
- » Glaregard® Surface underbrim to reduce reflective glare
- » Lateral contours for easy integration of hearing protection
- » Extended rain trough for around-the-brim protection in hot and/or wet environments
- » Meets all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2014: Vented (Class C). Also meets the ANSI/ISEA Z89.1-2014 voluntary standard for low temperature [LT] and reverse donning.

ITEM #	ORDER #	DESCRIPTION	UOM
<b>Caps with Fas-Trac® III Suspension</b>			
10034018	308528161	White 4-Point Fas-Trac® III	EA
10034019	308528171	Blue 4-Point Fas-Trac® III	EA
10034020	308528181	Yellow 4-Point Fas-Trac® III	EA
10034027	308540271	White 6-Point Fas-Trac® III	EA
10034029	308528231	Yellow 6-Point Fas-Trac® III	EA



# Head & Face Protection



## Specialty V-Gard® Protective Caps

- » Industrial-strength head protection that's lightweight yet durable
- » Featuring Fas-Trac® III Suspension and slots for better impact resistance and personal comfort
- » Meet all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2014 (Class E) and CSA Z94.1-2015 (Class E).
- » Meet the ANSI/ISEA Z89.1-2014 and CSA Z94.1-2015 voluntary standard for reverse donning



10052945

ITEM #	ORDER #	DESCRIPTION	UOM
10052945	308536521	American Stars & Stripes	EA



## Skullgard® Protective Caps and Hats

- » Skullgards have been tested to radiant heat loads producing temperatures up to, but not exceeding 350°F
- » Smooth crown for easy use of MSA welding equipment
- » Meets all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2014 (Class G).
- » Meets the ANSI/ISEA Z89.1-2014 voluntary standard for low temperature [LT].



475395



475407

ITEM #	ORDER #	DESCRIPTION	UOM
--------	---------	-------------	-----

### Caps

454617	308547221	Natural Tan - with Staz-On® Suspension	EA
475395	308555791	Natural Tan - with Fas-Trac® III Suspension	EA

### Hats

454664	308547301	Natural Tan - with Staz-On® Suspension	EA
475407	308555861	Natural Tan - with Fas-Trac® III Suspension	EA



## Cowboy Style Hard Hat

- » 6-point deluxe nylon squeeze-lock suspension
- » Front cotton terry sweatband
- » Extra wide brim provides more UV protection
- » ANSI Z89.1 Type 1, class E & G



VCB200-B

ITEM #	ORDER #	DESCRIPTION	UOM
VCB200-B	325302741	Black	EA
VCB200-G	325302751	Gray	EA
VCB200-T	325302761	Tan	EA
VCB200-W	325302771	White	EA



# Head & Face Protection



## Tuff Nougies Doo Rags

- » 100% Cotton
- » Double cotton layer around forehead for added comfort
- » Rear tie for secure fit

### Flame Resistant

- 6 oz. flame resistant treated cotton soft to the touch
- Nomex® thread
- Meets ASTM F1506
- Arc Rating: ATPV = 7.2 cal/cm<sup>2</sup>
- NFPA 70E/HRC = 1
- Flame resistant through 50 home washes



TN5-WAV

ITEM #	ORDER #	DESCRIPTION	UOM
TN5-BLACK	325302341	Black	EA
TN5-INFR-04	325316191	Flame Resistant Green	EA
TN5-NAV	325302411	Navy	EA
TN5-WAV	325302441	Wavy Flag	EA
TN5-INFR-018	325316181	Flame Resistant Navy	EA
TN5-INFR-FR11	325316111	Flame Resistant Gray	EA
TN5-INFR-HVY	325316131	Flame Resistant HIGHVIZ Yellow	EA
TN5-INFR-KHK	325316211	Flame Resistant - Khaki	EA



## Baseball Cap Bump Cap

- » Polyethylene inside 100% polyester twill ball cap protects against bumps and scrapes
- » Polyurethane bump cap insert included (V400)
- » Insert fits most "high profile" or "pro style" ball caps



V410

ITEM #	ORDER #	DESCRIPTION	UOM
V400	325302171	Insert For Baseball Style Bump Cap	EA
V410	325302161	Baseball Cap with Insert	EA



870B20-01



## Snap-On Hard Hat Sweatband

- » #1 selling terry sweatband
- » Easily attaches to hard hat suspension with snaps

ITEM #	ORDER #	DESCRIPTION	UOM
870B20-01	325302671	Navy	EA
870B20-15	325302651	Beige	EA



## SWEATSOpad® Sweatbands



20-3100V

- » One size fits all, hook and loop closure
- » Orange
- » Flame retardant fleecy cotton outer layer
- » Air-cushioned foam inner layer

ITEM #	ORDER #	DESCRIPTION	UOM
20-3100V	C25400605	Welding Helmet Sweatband	2/Pk
20-3200V	C25400615	Hard Hat Sweatband	2/Pk