




Earplugs



3M

3M™ E-A-Rsoft™ FX™ Earplugs

- » Poly bag keeps each pair of earplugs clean before use
- » Bell shape allows easy fitting and removal
- » Noise Reduction Rating (NRR)* 33 dB. CSA Class AL



ITEM #	ORDER #	DESCRIPTION	UOM
312-1260	665572795	Corded	200 Pr/Bx
312-1261	665572805	Uncorded	200 Pr/Bx

3M

3M™ E-A-Rsoft™ Yellow Neons™ and Yellow Neon Blasts™ Disposable Foam Earplugs

- » Soft, pliable foam offers comfort for wearing over an extended time
- » Low-pressure foam makes plugs less noticeable
- » Earplugs are easy to roll down for quick and easy insertions
- » Noise reduction rating (NRR)* 33 dB CSA Class AL
- » Poly bag keeps each pair of earplugs clean before use

ITEM #	ORDER #	DESCRIPTION	UOM
311-1250	665572075	Yellow Neon, Corded	200 Pr/Bx
312-1250	665522765	Yellow Neon, Uncorded	200 Pr/Bx
311-1252	665563975	Yellow Neon Blasts, Corded	200 Pr/Bx
312-1252	665572295	Yellow Neon Blasts, Uncorded	200 Pr/Bx




320-2001

3M

3M™ E-A-R™ Caboflex™ Model 600 Hearing Protector

- » Silicone tips contain a foam core for an effective seal and good noise reduction
- » Flexible band can be worn under the chin for use with hard hats
- » Ideal for intermittent hearing protection needs
- » Replacement pods also available
- » Noise Reduction Rating (NRR)* 20 dB when the band is worn under-the-chin; 17 dB when the band is worn behind-the-head. CSA Class BL

ITEM #	ORDER #	DESCRIPTION	UOM
320-2001	665564265	Yellow Neon, Banded	10/Bx



321-2101

3M

3M™ E-A-R™ Caps™ Model 200 Hearing Protector

- » Soft foam caps block the entrance to the ear canal. Band is worn under the chin
- » Ideal for intermittent protection needs.
- » Noise Reduction Rating (NRR)* 17 dB. CSA Class BL
- » Test compatible with 3M™ E-A-Rfit™ Validation System

ITEM #	ORDER #	DESCRIPTION	UOM
321-2101	665574965	Yellow Neon Caps, Banded	10/Bx

*The NRR may overestimate the hearing protection provided during typical use. 3M recommends reducing the NRR by 50% for estimating the amount of noise reduction provided. Noise Reduction Rating (NRR): dB CSA Class AL. Test compatible with 3M™ E-A-Rfit™ Validation System. 3M™ is Leading the Advancement of Hearing Conservation™.



Earplugs



3M™ E-A-R™ Classic™ Earplugs

- » 3M™ E-A-R™ Classic™ Earplugs set the standard in hearing protection as the world's first foam earplugs
- » One size comfortably fits most ear canals
- » Bright yellow allows quick hearing protection compliance checks



310-1101




311-1101

ITEM #	ORDER #	DESCRIPTION	UOM
311-1081	665522485	(NRR)* 29 dB, Classic Corded, Econopack	500 Pr/Bx
312-1082	665572785	(NRR)* 29 dB, Classic Uncorded, Econopack	1,000 Pr/Bx
311-6000	665572765	(NRR)* 31 dB, Classic Soft, Uncorded	200 Pr/Bx
310-1001	665564465	(NRR)* 29 dB, Classic Uncorded, Pillow Pack	200 Pr/Bx
311-1101	665522755	(NRR)* 29 dB, Classic Corded, Poly Bag	200 Pr/Bx
312-1201	665521395	(NRR)* 29 dB, Classic Uncorded, Poly Bag	200 Pr/Bx
310-1101	665572675	(NRR)* 33 dB, Classic Plus, Uncorded, Pillow Pack	200 Pr/Bx
311-1105	665573745	(NRR)* 33 dB, Classic Plus, Corded, Poly Bag	200 Pr/Bx
390-1000	665564475	(NRR)* 29 dB, Classic Uncorded, Value Pack Dispenser	200 Pr/Bx
391-1001	665521305	(NRR)* 29 dB, Classic Uncorded Refill Bottles for One Touch Dispenser	500 Pr/Btl



3M™ E-A-R™ Classic SuperFit™ 30 and 33 Earplugs

- » Orange "fitting ring" provides a guideline for proper insertion and quick visual compliance check
- » Slow recovery, low pressure foam yet stiff enough to make fitting easy
- » Standard size earplug fits most people comfortably
- » Dermatologically safe foam is non-irritating
- » Moisture and flame resistant



310-1008



312-1208



312-1222



3M™ E-A-R™ E-Z Fit™ Earplugs

- » Bell-shaped earplugs roll down easily and then expands to block noise
- » Poly bag keeps each pair of earplugs clean before use
- » Ideal for smaller ear canals

ITEM #	ORDER #	DESCRIPTION	UOM
Pillow Pack			
310-1008	665572635	(NRR)* 33 dB, Uncorded	200 Pr/Bx
310-1009	665572645	(NRR)* 30 dB, Uncorded	200 Pr/Bx
Poly Bag			
311-1125	665573785	(NRR)* 33 dB, Corded	200 Pr/Bx

ITEM #	ORDER #	DESCRIPTION	UOM
312-1208	665520855	(NRR)* 28 dB, Uncorded	200 Pr/Bx
312-1222	665564205	(NRR)* 28 dB, Corded	200 Pr/Bx

*The NRR may overestimate the hearing protection provided during typical use. 3M recommends reducing the NRR by 50% for estimating the amount of noise reduction provided. Noise Reduction Rating (NRR): dB CSA Class AL. Test compatible with 3M™ E-A-Rfit™ Validation System. 3M™ is Leading the Advancement of Hearing Conservation™.



Earplugs



3M™ E-A-R™ UltraFit™ Metal Detectable Earplugs

- » Metal-detectable ball bearing for high detectability
- » Premolded, triple flange earplugs fit comfortably in a wide range of ear sizes
- » Soft polymer is washable and reusable



340-4007

ITEM #	ORDER #	DESCRIPTION	UOM
340-4007	665574985	(NRR)* 21 dB, Corded, Poly Bag	100 Pr/Bx
340-4017	665522155	(NRR)* 21 dB, Corded, Econopack	200 Pr/Bx



3M™ E-A-R™ Express™ Metal Detectable Pod Plugs™

- » Implanted stainless steel ball bearings aid in locating lost earplugs
- » Designed for food processing and other industries where it is critical to keep earplugs from contaminating products and processes
- » Paddle-style grips provide quick, clean and consistent placement of earplugs
- » No-roll design keeps fingers, earplugs and ears clean



311-1127

ITEM #	ORDER #	DESCRIPTION	UOM
311-1127	665573795	(NRR)* 26 dB, Corded	100 Pr/Bx



3M™ E-A-Rsoft™ Metal Detectable Earplugs

- » Soft, pliable foam offers comfort for wearing over an extended time
- » Implanted stainless steel ball bearing and metal particles aid in locating lost earplugs
- » Regular size fits most ear canals



311-4106


ITEM #	ORDER #	DESCRIPTION	UOM
311-4106	665574835	(NRR)* 32 dB, Corded	200 Pr/Bx



311-1114

3M™ E-A-R™ Express™ Pod Plugs™

- » Paddle-style grips provide quick, clean, and consistent placement of earplugs
- » No-roll design keeps earplugs, and ears clean, even when fingers or gloves are dirty
- » Reusable pillow pack helps keep earplugs clean when they are not being worn



ITEM #	ORDER #	DESCRIPTION	UOM
311-1114	665572275	(NRR)* 25 dB, Blue Grips, Corded	100 Pr/Bx
311-1115	665574975	(NRR)* 25 dB, Assorted Color Grips, Corded,	100 Pr/Bx
321-2100	665564275	(NRR)* 25 dB, Blue Grips, Uncorded	100 Pr/Bx
321-2200	665574665	(NRR)* 25 dB, Assorted Color Grips, Uncorded	100 Pr/Bx



318-1000

3M™ E-A-R™ Push-Ins™ Earplugs

- » Soft, flexible foam conforms to the unique shape of each ear for comfortable noise reduction
- » Flexible stem makes insertion and removal cleaner and easier
- » Poly bag keeps earplugs clean before use



318-1001

ITEM #	ORDER #	DESCRIPTION	UOM
318-1000	665564225	(NRR)* 28 dB, Uncorded	100 Pr/Bx
318-1001	665564235	(NRR)* 28 dB, Corded	100 Pr/Bx
318-1002	665564245	(NRR)* 28 dB, Uncorded	200 Pr/Bx
318-1003	665573665	(NRR)* 28 dB, Corded	200 Pr/Bx

*The NRR may overestimate the hearing protection provided during typical use. 3M recommends reducing the NRR by 50% for estimating the amount of noise reduction provided. Noise Reduction Rating (NRR): dB CSA Class AL. Test compatible with 3M™ E-A-Rfit™ Validation System. 3M™ is Leading the Advancement of Hearing Conservation™.



Earplugs



391-0000



3M™ One Touch™ Pro Earplug Dispenser

- » Dispenser makes it easy for workers to access earplugs
- » A simple turn of the hand drops earplug into a worker's hand one at a time
- » Drained catch tray, wind side shields and durable plastic construction safeguards earplugs in outdoor locations
- » Versatile design allows for placing on countertops or wall mounting
- » Refill bottle not included

ITEM #	ORDER #	DESCRIPTION	UOM
391-0000	665542071	Earplug Dispenser	EA



312-1219



3M™ E-A-R™ TaperFit™ 2 Earplugs

- » Tapered earplugs fit easily and comfortably into ear canals
- » Earplugs roll down easily and then expands to block noise
- » Soft polyurethane foam conforms to the shape of the ear canal for a snug fit



312-1223

ITEM #	ORDER #	DESCRIPTION	UOM
312-1219	665564195	(NRR)* 32 dB, Uncorded, Regular Size	200 Pr/Bx
312-1223	665564445	(NRR)* 32 dB, Corded, Regular Size	200 Pr/Bx
312-1221	665520085	(NRR)* 32 dB, Uncorded, Large Size	200 Pr/Bx
312-1224	665564455	(NRR)* 32 dB, Corded, Large Size	200 Pr/Bx



3M™ E-A-Rsoft™ One Touch™ Earplug Refills

- » Refill container for One Touch™ dispenser
- » Uncorded earplugs
- » No packaging waste with each pair
- » Noise Reduction Rating (NRR)*: 33dB



391-1004

ITEM #	ORDER #	DESCRIPTION	UOM
391-1004	665564005	Regular Size, Yellow Neons™	500 Pr/Btl
391-1005	665572935	Large Size, Yellow Neons™	400 Pr/Btl
391-1010	665572255	Regular Size, Yellow Neon Blasts™	500 Pr/Btl



340-4002

340-4003



3M™ E-A-R™ UltraFit™ Earplugs

- » Premolded, triple flange earplugs fit comfortably in a wide range of ear sizes
- » No need to roll earplugs before fitting so the tips stay clean even if hands are dirty
- » Soft polymer is washable and reusable

ITEM #	ORDER #	DESCRIPTION	UOM
340-4002	665522775	(NRR)* 25 dB, Corded with Carrying Case	50 Pr/Bx
340-4003	665564285	(NRR)* 25 dB, Uncorded	100 Pr/Bx
340-4004	665522475	(NRR)* 25 dB, Corded	100 Pr/Bx

*The NRR may overestimate the hearing protection provided during typical use. 3M recommends reducing the NRR by 50% for estimating the amount of noise reduction provided. Noise Reduction Rating (NRR): dB CSA Class AL. Test compatible with 3M™ E-A-Rfit™ Validation System. 3M™ is Leading the Advancement of Hearing Conservation™.



Earplugs



1100



1110



3M™ 1100 and 1110 Foam Earplugs

- » Smooth, dirt resistant surface provides better hygiene
- » Earplugs are easy to roll down for quick and easy fitting
- » Tapered design fits comfortably in ear canals
- » Soft polyurethane foam is hypoallergenic

ITEM #	ORDER #	DESCRIPTION	UOM
1100	665511005	(NRR)* 29 dB, Uncorded	200 Pr/Bx
1110	665511045	(NRR)* 29 dB, Corded	100 Pr/Bx



P1300

P1301



3M™ E-A-R™ Skull Screws Earplugs

- » Tough look of threaded metal
- » Soft foam tips feel comfortable for extended wear
- » Cutting-edge look and comfort may increase worker compliance in wearing hearing protection
- » Push-to-fit style means no earplug roll-down is required for easy fitting

ITEM #	ORDER #	DESCRIPTION	UOM
P1300	665570235	(NRR)* 32 dB, Uncorded	120 Pr/Bx
P1301	665521895	(NRR)* 32 dB, Corded	120 Pr/Bx



P2000



P2001



3M™ No-Touch™ Foam Earplugs

- » Push-to-fit foam earplugs create a hygienic, noise-reducing seal
- » Push-to-fit style means no earplug roll down required
- » Foam is fused with the LiveWire stem, flexes sideways if impacted during wear
- » Foam tips stay clean, even when your hands are dirty

ITEM #	ORDER #	DESCRIPTION	UOM
P2000	665564415	(NRR)* 29 dB, Uncorded	100 Pr/Bx
P2001	665563895	(NRR)* 29 dB, Corded	100 Pr/Bx



P3000



P3001



3M™ Tri-Flange™ Earplugs


- » Triple-flanged, premolded earplugs fit comfortably in a wide range of ear sizes
- » Soft, flexible flanges conform to the shape of the ear canal for comfortable noise reduction
- » No need to roll earplugs before fitting so the tips stay clean even if hands are dirty

ITEM #	ORDER #	DESCRIPTION	UOM
P3000	665563965	(NRR)* 26 dB, Vinyl Corded	100 Pr/Bx
P3001	665521905	(NRR)* 26 dB, Cloth Corded	100 Pr/Bx

*The NRR may overestimate the hearing protection provided during typical use. 3M recommends reducing the NRR by 50% for estimating the amount of noise reduction provided. Noise Reduction Rating (NRR): dB CSA Class AL. Test compatible with 3M™ E-A-Rfit™ Validation System. 3M™ is Leading the Advancement of Hearing Conservation™.



Earplugs



Honeywell
HOWARD LEIGHT

FirmFit™ Disposable Earplugs

- » FirmFit™ is soft, exerts low expansion pressure on the ear canal
- » Excellent protection in most medium-to-high noise environments
- » Requires less pressure to roll down, slow recovery rate allows plenty of time to correctly insert in ear canal
- » Orange color makes compliance checks easy

ITEM #	ORDER #	DESCRIPTION	UOM
FF-1	341513915	(NRR) 30 dB, Uncorded	200 Pr/Bx
FF-30	341563965	(NRR) 30 dB, Corded	100 Pr/Bx



Honeywell
HOWARD LEIGHT

Fusion® Reusable Earplugs

- » Patented dual-material design
- » FlexiFirm® stem is easy to grasp, ensuring easy insertion into the ear canal
- » SoftFlange™ creates comfortable seal in the ear canal for superior comfort and protection
- » Unique detachable nylon cord system adapts to virtually any application


ITEM #	ORDER #	DESCRIPTION	UOM
FUS30S-HP	341539515	(NRR) 27 dB, Corded, Size Small	100 Pr/Bx

Honeywell
HOWARD LEIGHT

Laser Lite® Disposable Earplugs

- » Self-adjusting T-shape polyurethane foam expands easy insertion and wear
- » Smooth, soil-resistant closed cell-foam skin prevents dirt build-up
- » Formable foam expands to fit most wearers
- » High-visibility magenta and yellow colors make compliance checks quick and easy

ITEM #	ORDER #	DESCRIPTION	UOM
LL-1	341501475	(NRR) 32 dB, Uncorded	200 Pr/Bx
LL-30	341501495	(NRR) 32 dB, Corded	100 Pr/Bx
LL-1-D	341501485	(NRR) 32 dB, Uncorded	500 Pr/Bx



Honeywell
HOWARD LEIGHT

Laser Trak® Metal Detectable Disposable Earplugs

- » Non-ferrous metal grommet and bright colors – easily detected by visual and automated inspection
- » Formable polyurethane foam expands to fit most wearers
- » Contoured T-shape for easy insertion and wear

ITEM #	ORDER #	DESCRIPTION	UOM
LT-30	341501665	(NRR) 33 dB, Corded	100 Pr/Bx





Earplugs

Honeywell
HOWARD
LEIGHT

SmartFit® Reusable Earplugs

- » Conforming Material Technology™ adapts to the shape of the surrounding ear canal
- » Delivers superior comfort and a truly individual fit
- » Simplifies inventory control - a single product fits almost every wearer
- » Detachable cord system and HearPack® storage case



SMF-30

ITEM #	ORDER #	DESCRIPTION	UOM
SMF-30	341502115	(NRR) 25 dB, Corded	100 Pr/Bx

Honeywell
HOWARD
LEIGHT

TrustFit® Pod Earplugs

- » Soft foam dimpled tip collapses to be easily and gently pushed into ear canal
- » No roll-down foam reduces hygiene concerns and makes for easy fit



TRUSTFITPOD-1



TRUSTFITPOD-30

ITEM #	ORDER #	DESCRIPTION	UOM
TRUSTFITPOD-1	341574665	(NRR) 28 dB, Uncorded	100 Pr/Pk
TRUSTFITPOD-30	341574675	(NRR) 28 dB, Corded	100 Pr/Pk

Honeywell
HOWARD
LEIGHT

Howard Light HL400 Earplug Dispenser

- » Durable plastic design is an economical choice for dispensing earplugs
- » Holds 400 pairs of Howard Leight™ disposable earplugs
- » Can be mounted to a wall or tabletop or can be free standing
- » Universal hole positions, eliminating the need to drill new holes.
- » Easy twist knob with 180° of access, makes dispensing earplugs easy
- » Supports all Howard Leight™ disposable earplugs: MAX®, MAX® Small, MAXLite®, Laser Lite®, FirmFit®, Multi Max®, and Xtreme®
- » Refills available as prefilled canisters and bags
- » 1/CS



HL400-LPF-INTRO

ITEM #	ORDER #	Description	UOM
HL400-MAX-INTRO	34158002	HL400 Dispenser with 1 prefilled canister of 400 prs. MAX earplugs	CS
HL400-LPF-INTRO	34158003	HL400 Dispenser with 1 prefilled canister of 400 prs. MAXLite earplugs	CS
HL400-LL-INTRO	34158004	HL400 Dispenser with 1 prefilled canister of 400 prs. Laser Lite earplugs	CS
HL400-FF-INTRO	34158005	HL400 Dispenser with 1 prefilled canister of 400 prs. FirmFit earplugs	CS
HL400-XTR-INTRO	34158007	HL400 Dispenser with 1 prefilled canister of 400 prs. X-TREME earplugs	CS
HL400-MM-INTRO	34158008	HL400 Dispenser with 1 prefilled canister of 400 prs. MultiMax earplugs	CS
HL400-MAXS-INTRO	34157936	HL400 Dispenser with 1 prefilled canister of 400 prs. MAX Small earplugs	CS



Earplugs

MOLDEX

Comets® Reusable Earplugs

- » Independently tested to ANSI S3.19-1974
- » Finger pocket makes Comets® easy to insert
- » Extra-soft material and an air-cushioned tip provide comfort
- » Triple flange adjusts to most size ear canals to hold the plug in place

ITEM #	ORDER #	DESCRIPTION	UOM
6490	222200505	(NRR) 25 dB, Uncorded	50 Pr/Bx
6495	222200515	(NRR) 25 dB, Corded	100 Pr/Bx



MOLDEX

Rockets® Reusable Earplugs

- » Independently tested to ANSI S3.19-1974
- » NRR 27 dB, with a new sound dampening additive
- » Easy-grip handle lets earplugs easily slip into ear
- » Air bubble in tip provides cushioned comfort
- » Earplugs can be washed and reused



ITEM #	ORDER #	DESCRIPTION	UOM
6400	222200465	Uncorded w/ Pocket-Pak®	50 Pr/Bx
6404	222264045	Corded/Bagged	50 Pr/Bx
6405	222256905	Corded w/ Pocket-Pak®	50 Pr/Bx
6415	222256895	Metal Detectable, Corded/Bagged	50 Pr/Bx
6420	222200475	Cloth Cord w/ Pocket-Pak®	50 Pr/Bx
6480	222200485	Special Ops® Uncorded w/ Pocket-Pak®	50 Pr/Bx
6485	222200495	Special Ops®, Corded w/Pocket-Pak®	50 Pr/Bx



MOLDEX

Jazz Band® Hearing Protector

- » NRR 25 dB, independently tested to ANSI S3.19-1974
- » Tapered foam pods, ideal choice for intermittent usage
- » Hangs easily around neck with optional breakaway cord
- » Alternative to earmuffs, does not interfere with eyewear

ITEM #	ORDER #	DESCRIPTION	UOM
6504	222265045	Pods w/ 1 Neck Cord, Kit	5 Pr/Bg
6506	222265065	Band, Cord and Pods	10 Pr/Bx



MOLDEX

Flip to Listen™ Dual Mode Reusable Earplugs

- » NRR 24 dB for noisy environments, NRR 4 when you need to hear
- » Independently tested to ANSI S3.19-1974
- » No need to remove earplugs with Flip Cap
- » Triple flange design provides comfort
- » Pocket-Pak® carrying case, optional cloth cord

ITEM #	ORDER #	DESCRIPTION	UOM
6770	222267705	Flip Cap, Corded	50 Pr/Bx






Earplugs

MOLDEX

Goin' Green® Disposable Foam Earplugs

- » Independently tested to ANSI S3.19-1974, NRR 33 dB
- » Low-pressure foam for comfort and fit
- » Tapered shaped to fit small ear canals
- » Non-irritating smooth surface

ITEM #	ORDER #	DESCRIPTION	UOM
6620	222200575	Uncorded	200 Pr/Bx
6622	222200585	Corded	100 Pr/Bx
6646	222200615	PlugStation® Uncorded	250 Pr/Dsp
6647	222200625	PlugStation® Uncorded	500 Pr/Dsp



6646

MOLDEX

Pura-Fit® Disposable Foam Earplugs

- » Independently tested to ANSI S3.19-1974, NRR 33 dB
- » Hygienically packaged in biodegradable paper pouches
- » Softer foam, non-irritating smooth surface
- » Tapered, longer length for easy fitting

ITEM #	ORDER #	DESCRIPTION	UOM
6800	222268005	Uncorded	200 Pr/Bx
6900	222231035	Corded	100 Pr/Bx
6844	222200701	PlugStation® Uncorded	250 Pr/Dsp
6845	222268451	PlugStation® Uncorded	500 Pr/Dsp
6882	222268825	PlugStation® Corded	150 Pr/Dsp



6900



6882

MOLDEX

Meteors® Disposable Foam Earplugs

- » Independently tested to ANSI S3.19-1974
- » Soft, slow recovery foam molds easily to the ear canal
- » Innovative undercut design affords a secure fit, all day long

ITEM #	ORDER #	DESCRIPTION	UOM
6630	222266305	(NRR) 28 dB, Small, Uncorded	200 Pr/Bx
6632	222266325	(NRR) 28 dB, Small, Corded	100 Pr/Bx
6870	222268705	(NRR) 33 dB, Uncorded	200 Pr/Bx
6970	222269705	(NRR) 33 dB, Corded	100 Pr/Bx
6634	222266345	(NRR) 28 dB, PlugStation® Small, Uncorded	250 Pr/Dsp
6875	222268755	(NRR) 33 dB, PlugStation® Uncorded	500 Pr/Dsp



6630

6632



6875



Earplugs



6450



6455

MOLDEX

JETZ® Reusable Earplugs

- » NRR 27 dB, independently tested to ANSI S3.19-1974
- » Extra-soft material and triple flange design seals gently and snugly
- » Cloth cord locks securely to plug
- » Plugs can be washed and reused

ITEM #	ORDER #	DESCRIPTION	UOM
6450	222264505	Uncorded	50 Pr/Bx
6455	222264555	With Cord	50 Pr/Bx

MOLDEX

Softies® Disposable Foam Earplugs

- » Independently tested to ANSI S3.19-1974, NRR 33 dB
- » Radiant orange color for easy compliance checks
- » Extra-soft, low-pressure, non-irritating foam for comfort and fit
- » Tapered shape for easy insertion even for very small ear canals

ITEM #	ORDER #	DESCRIPTION	UOM
6600	222200535	Uncorded	200 Pr/Bx
6650	222200645	Corded	100 Pr/Bx



6600



6650



6604

6654

MOLDEX

SparkPlugs® Disposable Foam Earplugs

- » Independently tested to ANSI S3.19-1974, NRR 33 dB
- » Extra-soft, low-pressure, non-irritating foam for comfort and fit
- » Tapered shape for easy insertion even for very small ear canals
- » Random multi-color streaks and swirls design
- » 6615/6881 metal detectable versions, the plug and cord are independently detectable for safety

ITEM #	ORDER #	DESCRIPTION	UOM
6604	222200545	Uncorded	200 Pr/Bx
6654	222228235	Corded	100 Pr/Bx
6615	222266155	Metal Detectable, Corded	100 Pr/Bx

PlugStation®

6644	222200591	Uncorded	250 Pr/Dsp
6645	222200601	Uncorded	500 Pr/Dsp
6880	222268805	Corded	150 Pr/Dsp
6881	222268815	Metal Detectable, Corded	150 Pr/Dsp



6615



6645



6881



Earplugs



6820



6840



Mellows® Disposable Foam Earplugs

- » Independently tested to ANSI S3.19-1974, NRR 30 dB
- » Radiant orange color for easy compliance checks
- » Extra-soft, low-pressure, non-irritating foam for comfort and fit
- » Tapered shape for easy insertion even for very small ear canals



6846



6847

ITEM #	ORDER #	DESCRIPTION	UOM
6820	222268205	Uncorded	200 Pr/Bx
6840	222268405	Corded	100 Pr/Bx
6846	222268465	PlugStation® Uncorded	250 Pr/Dsp
6847	222268475	PlugStation® Uncorded	500 Pr/Dsp



6940



6945



Glide® Foam Twist In Earplugs

- » Independently tested to ANSI S3.19-1974, NRR 30 dB
- » Unique multi-curved stem rotates for a custom fit
- » Large handle on curved stem for easy insertion and removal
- » Large soft foam pod for a comfortable, snug seal
- » Cord can be attached at any desired length



6883

ITEM #	ORDER #	DESCRIPTION	UOM
6940	222269405	Uncorded	100 Pr/Bx
6945	222269455	With Cord	100 Pr/Bx
6883	22220003	PlugStation® with Cord	150 Pr/Dsp



Glide® Trio Reusable Earplugs

- » Independently tested to ANSI S3.19-1974, NRR 27 dB
- » Unique multi-curved stem rotates for a custom fit
- » Large handle on curved stem for easy insertion and removal
- » Soft triple flange plug can be washed and reused
- » Cord can be attached at any desired length



6445

ITEM #	ORDER #	DESCRIPTION	UOM
6445	222264455	With Cord	50 Pr/Bx

**3M****3M™ Model 1000 Earmuffs**

- » These lightweight earmuffs may be worn over-the-head, behind-the-head or under-the-chin
- » Large ear cup openings and soft, foam-filled cushions offer a snug, comfortable fit
- » Durable, lightweight construction of non-conductive, dielectric plastic
- » Noise Reduction Rating* NRR 20 dB (CSA class B) when the band is worn over-the-head. NRR 22 dB (CSA Class A) when the band is worn under-the-chin. NRR 22 dB (CSA Class B) when band is worn behind-the-head

ITEM #	ORDER #	DESCRIPTION	UOM
330-3001	665570081	One Size Fits Most	EA



330-3001



330-3002

3M**3M™ Model 3000 Earmuffs**

- » These lightweight earmuffs may be worn over-the-head, behind-the-head or under-the-chin
- » Large ear cup openings and soft, foam-filled cushions offer a snug, comfortable fit
- » Durable, lightweight construction of non-conductive, dielectric plastic
- » Noise Reduction Rating* NRR 25 dB (CSA class A) when the band is worn over-the-head. NRR 26 dB (CSA Class AL) when the band is worn under-the-chin. NRR 26 dB (CSA Class AL) when band is worn behind-the-head

ITEM #	ORDER #	DESCRIPTION	UOM
330-3002	665521591	One Size Fits Most	EA

3M**3M™ Peltor™ PTL™ Earmuffs**

- » Listening mode capability allows wearer to hear people talk or sounds without removing headset
- » In listening mode, amplified sounds are limited to 87 dB
- » Auto-switch returns earmuffs to normal hearing protection mode after 30 seconds
- » Ear cups with liquid and foam filled cushions

ITEM #	ORDER #	DESCRIPTION	UOM
H7A-PTL	665519711	(NRR)* 26 dB, Over-the-Head	EA



H7A-PTL



H7B

H7P3E

3M**3M™ Peltor™ Optime™ 101 Series Earmuffs**

- » Recommended for noise exposures up to 101 dBA
- » Stainless steel band distributes weight for low pressure fit
- » Ear cup pivot points tilt for comfort that adjusts to individual wearers
- » Liquid/foam filled earmuff cushions

ITEM #	ORDER #	DESCRIPTION	UOM
H7A	665570071	(NRR)* 27 dB, Over-the-Head	EA
H7B	665570211	(NRR)* 26 dB, Behind-the-Head	EA
H7P3E	665564431	(NRR)* 24 dB, Cap/Hard Hat Mounted	EA

*The NRR may overestimate the hearing protection provided during typical use. 3M™ recommends reducing the NRR by 50% for estimating the amount of noise reduction provided. 3M™ is Leading the Advancement of Hearing Conservation™.



Earmuffs

3M

3M™ Peltor™ X Series Earmuffs

- » Lightweight, low-profile earmuff designed for protection against low-level industrial noise and other loud sounds
- » Features an electrically insulated wire headband, often referred to as “dielectric”
- » Wire headband offers consistent pressure over prolonged wearing periods
- » Ear cup pivot points tilt for optimum comfort and efficiency

ITEM #	ORDER #	DESCRIPTION	UOM
X1A	665510071	(NRR)* 22 dB, Over-the-Head	EA
X2A	665510731	(NRR)* 24 dB, Over-the-Head	EA
X3A	665511181	(NRR)* 28 dB, Over-the-Head	EA
X4A	665511281	(NRR)* 28 dB, Low-Profile, Over-the-Head	EA
X5A	665511961	(NRR)* 31 dB, Over-the-Head	EA
X5P3E	665521801	(NRR)* 31 dB, Cap/Hard Hat Mounted	EA



H10A

3M

3M™ Peltor™ Optime™ 105 Series Earmuffs

- » Effective hearing protection for noise exposures up to 105dBA
- » Double-shell technology boosts its noise blocking ability
- » Durable stainless steel band resists bending and warping
- » Patented Twin-Cup™ design has soft, foam-filled earmuff cushions

ITEM #	ORDER #	DESCRIPTION	UOM
H10A	665564031	(NRR)* 30 dB, Over-the-Head	EA
H10B	665570291	(NRR)* 29 dB, Behind-the-Head	EA
H10P3E	665522721	(NRR)* 27 dB, Cap/Hard Hat Mounted	EA
H10AHV	665570111	(NRR)* 30 dB, Hi-Viz Over-the-Head	EA

3M

3M™ Peltor™ Optime™ 95 Series Earmuffs

- » Earmuff provide hearing protection against high-frequency noise up to 95 dBA
- » Ultra-light with liquid/foam filled hearing protectors are less noticeable to wear
- » Stainless steel band resists bending and warping
- » Ear cup pivot points tilt for optimum comfort and efficiency

ITEM #	ORDER #	DESCRIPTION	UOM
H6A/V	665570121	(NRR)* 21 dB, Over-the-Head	EA
H6B/V	665570131	(NRR)* 21 dB, Behind-the-Head	EA
H6F/V	665521581	(NRR)* 21 dB, Over-the-Head w/ Folding Cups	EA



H6A/V



H9A

3M

3M™ Peltor™ Optime™ 98 Series Earmuffs

- » Recommended for noise exposures up to 98 dBA
- » Ultra-light with liquid/foam filled earmuff cushions
- » Stainless steel headband distributes weight for low pressure fit
- » Ear cup pivot points tilt for comfort that adjusts to individual wearers

ITEM #	ORDER #	DESCRIPTION	UOM
H9A	665564061	(NRR)* 25 dB, Over-the-Head	EA
H9P3E	665564051	(NRR)* 23 dB, Cap/Hard Hat Mounted	EA

*The NRR may overestimate the hearing protection provided during typical use. 3M™ recommends reducing the NRR by 50% for estimating the amount of noise reduction provided. 3M™ is Leading the Advancement of Hearing Conservation™.



Earmuffs



3M™ Peltor™ WS™ ProTac™ XP Headset

- » Voice microphone includes VOX (Voice Operated Transmit) for hands-free communication
- » DSP (Digital Noise Reduction) provides clear wireless and wired communication
- » Supports Bluetooth® A2DP profile for streaming high quality stereo sound
- » High attenuation for hearing protection in noisy environments
- » External Jacket for optional 2-Way radio connectivity



MT15H7AWS5-77



MT15H7BWS5-77

ITEM #	ORDER #	DESCRIPTION	UOM
MT15H7P3EWS5-77	665536131	(NRR)* 26 dB, Cap/Hard Hat Mounted	EA
MT15H7BWS5-77	665541811	(NRR)* 27 dB, Behind-the-Head	EA



3M™ Peltor™ ProTac™ III Headset

- » Professional-quality hearing protection
- » Environmental microphones for level-dependent hearing protection and ambient listening
- » 3.5 mm listen-only stereo input (limited to 82 dB) for connection to external devices (e.g. cell phone, two-way radio, Ipod)
- » Voice guided menu system to prevent you from taking the headset off
- » Auto power off after 4 hours of non-use and audible low-battery warning



MT13H220A



MT13H221P3E

ITEM #	ORDER #	DESCRIPTION	UOM
MT13H220A	665541821	(NRR)* 21 dB, Slim, Over-the-Head	EA
MT13H220P3E	665541831	(NRR)* 19 dB, Slim, Cap/Hard Hat Mounted	EA
MT13H221A	665541841	(NRR)* 26 dB, Over-the-Head	EA
MT13H221P3E	665541861	(NRR)* 23 dB, Cap/Hard Hat Mounted	EA



HRXS221A-NA



3M™ Peltor™ WorkTunes™ Pro AM/FM Headset

- » Professional-quality hearing protection
- » AM/FM Radio headset with built in antenna, with 5 presets
- » 3.5 mm listen only stereo input (limited to 82 dB) for connection to external devices (e.g. cell phone, two-way radio, Ipod)
- » Auto power off after 4 hours of non-use and audible low-battery warning

ITEM #	ORDER #	DESCRIPTION	UOM
HRXS221A-NA	665538391	(NRR)* 26 dB, Over-the-Head	EA
HRXS221P3E-NA	665538401	(NRR)* 23 dB, Cap/Hard Hat Mounted	EA

*The NRR may overestimate the hearing protection provided during typical use. 3M™ recommends reducing the NRR by 50% for estimating the amount of noise reduction provided. 3M™ is Leading the Advancement of Hearing Conservation™.



Earmuffs



1035110-VS



1035121-VS



1035114-VS

Honeywell
HOWARD
LEIGHT

VeriShield™ 100 Series Passive Earmuffs

- » Large dimension range: Comfortably fits a wide range of head sizes. 17% more adjustable than earlier versions.
- » Wide cup opening: Ideal for workers with larger ears, or who wear hearing aids. Opening area of the cup increased by 16% over earlier versions.
- » Lightweight cushioned headband: Steel-wire construction with padded headband and precision micro adjustments designed for just the right fit around the ear.
- » Memory foam ear cushions: New unique memory foam that combines denser and softer foam than previous models, for greater comfort and attenuation. Reduces squeezing pressure on the head and enhances comfort.
- » Air Flow Control Technology

ITEM #	ORDER #	DESCRIPTION	UOM
Over-the-Head			
1035100-VS	341580631	(NRR) 24 dB, VS110 VeriShield Earmuff	EA
1035102-VS	341580611	(NRR) 24 dB, VS110F VeriShield Folding Earmuff	EA
1035104-VS	341580601	(NRR) 26 dB, VS120 VeriShield Earmuff	EA
1035106-VS	341580591	(NRR) 27 dB, VS120FHV VeriShield Hi-Viz Folding Earmuff	EA
1035108-VS	341580581	(NRR) 30 dB, VS130 VeriShield Earmuff	EA
1035110-VS	341580571	(NRR) 30 dB, VS130HV VeriShield Hi-Viz Earmuff	EA
Behind-the-Neck			
1035112-VS	341580561	(NRR) 22 dB, VS110N VeriShield Earmuff Neckband	EA
1035114-VS	341580551	(NRR) 25 dB, VS120N VeriShield Earmuff Neckband	EA
1035116-VS	341580541	(NRR) 28 dB, VS130N VeriShield Earmuff Neckband	EA
Hard Hat			
341580531	1035118-VS	(NRR) 21 dB, VS110H VeriShield Helmet Earmuff	EA
341580621	1035121-VS	(NRR) 24 dB, VS120H VeriShield Helmet Earmuff	EA
341580521	1035124-VS	(NRR) 27 dB, VS130H VeriShield Helmet Earmuff	EA
341580511	1035127-VS	(NRR) 27 dB, VS130HHV VeriShield Helmet Earmuff Hi-Viz	EA



Earmuffs

Honeywell
HOWARD
LEIGHT

QM24+® Earmuffs

- » Dielectric, usable in work environments with electricity
- » Lightweight, makes all-day wear more comfortable
- » Broad ear cushions, comfort for all sizes and headband positions

ITEM #	ORDER #	DESCRIPTION	UOM
QM24+	341502081	(NRR) 25 dB	EA



QM24

Honeywell
HOWARD
LEIGHT

Thunder® Earmuffs

- » Air Flow Control™ Technology provides consistent attenuation, at low frequencies
- » Dielectric construction suitable for electrical environments
- » Uniform headband pressure for all head sizes
- » Quick-Click height adjustment remains fixed during wear
- » Snap-in ear cushions make replacement quick and easy

ITEM #	ORDER #	DESCRIPTION	UOM
Headband			
1010928	341536771	(NRR) 26 dB, T1, Light Green	EA
1010970-H5	341536791	(NRR) 30 dB, T3, Black	EA
Cap/Hard Hat Mounted			
1011601	341500541	(NRR) 23 dB, T1H, Light Green	EA
1011602	341500551	(NRR) 25 dB, T2H, Dark Green	EA
1011603	341500581	(NRR) 27 dB, T3H, Black	EA



1010928



1011602



1010925

1010926

Honeywell
HOWARD
LEIGHT

Viking™ Multiple Position Earmuffs

- » Multiple-position headband, over the head, behind the head or under the chin
- » Air Flow Control™ Technology provides consistent attenuation, at low frequencies
- » Non-deforming outer headband withstands rough treatment
- » Snap-in ear cushions
- » Includes attached elastic headband strap for better positioning when worn behind the head or under the chin
- » Dielectric construction suitable for electrical environments

ITEM #	ORDER #	DESCRIPTION	UOM
1010925	341500291	(NRR) 25 dB, V1, Light Blue	EA
1010926	341500301	(NRR) 27 dB, V2, Dark Blue	EA
1010927	341500321	(NRR) 29 dB, V3, Black/Silver	EA



Earmuffs



6135



6120



MX-5 and MX-6 Earmuffs

- » Soft cushion-ribbed open-air headband
- » Over molded headband is durable, rugged
- » Lightweight wire frame allows easy cup adjustment
- » Extra soft foam/low pressure large ear cushions

ITEM #	ORDER #	DESCRIPTION	UOM
Earmuffs			
6120	222261201	(NRR) 27 dB, MX-5	EA
6130	222261301	(NRR) 30 dB, MX-6	EA

Hygiene Kits

6125	222261251	For MX-5	EA
6135	222261351	For MX-6	EA



6140



MX-7 Cap Mounted Earmuff

- » Slots into almost all hard hats
- » Lightweight wire frame allows easy cup adjustment
- » Larger cup openings are designed to fit most ear sizes
- » Exclusive waffled cup foam/low pressure large ear cushions

ITEM #	ORDER #	DESCRIPTION	UOM
6140	22220020	(NRR) 28 dB	10 Bx/Cs



6100



M1 Premium Earmuffs

- » SoftCoat® covering on the cups helps muffle transmitted noise
- » Black-chrome, spring-steel band that doesn't twist out of shape
- » Six different adjustment points provide fit for most head sizes
- » Folds for easy storage into compact size

ITEM #	ORDER #	DESCRIPTION	UOM
6100	222261001	(NRR) 29 dB	EA



6200



M2 Multi-Position Earmuffs

- » SoftCoat® covering on the cups and yoke helps muffle transmitted noise
- » Cup adjustment is infinitely variable
- » Lightweight plastic headband
- » Molded grips for easy and quick fitting

ITEM #	ORDER #	DESCRIPTION	UOM
6200	222262001	(NRR) 26 dB	EA