















# V-TEC® Non-Leading Edge Self-Retracting Devices Conversion Guide



WE KNOW WHAT'S AT STAKE.

# ANSI/OSHA

<b>Legacy</b>	63011-00A, 63011-00M, 63011-00P, 63011-00X	63011-00B, 63011-00O, 63011-00AA	63011-00C, 63011-00Q	63011-00D, 63011-00N
<b>New</b>	<b>VTOHW-011-DA-A</b>	<b>VTOHW-011-DB-A</b>	<b>VTOHW-011-DC-A</b>	<b>VTOHW-011-DD-A</b>
<b>Description</b>	V-TEC PFL, 6 ft. (1.8 m), single-leg, AL36CL (bottom), ALTAK (top), web, ANSI/OSHA	V-TEC PFL, 6 ft. (1.8 m), single-leg, 36C (bottom), ALTAK (top), web, ANSI/OSHA	V-TEC PFL, 6 ft. (1.8 m), single-leg, ALTAKS (bottom), ALTAK (top), web, ANSI/OSHA	V-TEC PFL, 6 ft. (1.8 m), single-leg, ALTAK (bottom), ALTAK (top), web, ANSI/OSHA
<b>Image</b>				
<b>Legacy</b>	63011-00E, 63011-00AB	63011-00F, 63011-00Y	63011-00G	63011-00H
<b>New</b>	<b>VTOHW-011-DE-A</b>	<b>VTOHW-011-DF-A</b>	<b>VTOHW-011-ZA-A</b>	<b>VTOHW-011-ZB-A</b>
<b>Description</b>	V-TEC PFL, 6 ft. (1.8 m), single-leg, 36CS (bottom), ALTAK (top), web, ANSI/OSHA	V-TEC PFL, 6 ft. (1.8 m), single-leg, 36CL (bottom), ALTAK (top), web, ANSI/OSHA	V-TEC PFL, 6 ft. (1.8 m), single-leg, AL36CL (bottom), no top connector, web, ANSI/OSHA	V-TEC PFL, 6 ft. (1.8 m), single-leg, 36C (bottom), no top connector, web, ANSI/OSHA
<b>Image</b>				
<b>Legacy</b>	63011-00I	63011-00J	63011-00K	63011-00L
<b>New</b>	<b>VTOHW-011-ZC-A</b>	<b>VTOHW-011-ZD-A</b>	<b>VTOHW-011-ZE-A</b>	<b>VTOHW-011-ZF-A</b>
<b>Description</b>	V-TEC PFL, 6 ft. (1.8 m), single-leg, ALTAKS (bottom), no top connector, web, ANSI/OSHA	V-TEC PFL, 6 ft. (1.8 m), single-leg, ALTAK (bottom), no top connector, web, ANSI/OSHA	V-TEC PFL, 6 ft. (1.8 m), single-leg, 36CS (bottom), no top connector, web, ANSI/OSHA	V-TEC PFL, 6 ft. (1.8 m), single-leg, 36CL (bottom), no top connector, web, ANSI/OSHA
<b>Image</b>				

# ANSI/OSHA

Legacy	63013-00A, 63013-00M	63013-00B	N/A	63013-00D, 63013-00N	63013-00E, 63013-00K, 63013-00AB
New	<b>VTOHW-031-DA-A</b>	<b>VTOHW-031-DB-A</b>	<b>VTOHW-031-DC-A</b>	<b>VTOHW-031-DD-A</b>	<b>VTOHW-031-DE-A</b>
Description	V-TEC PFL 10 ft. (3 m), single-leg, AL36CL (bottom), ALTAK (top), web, ANSI/OSHA	V-TEC PFL 10 ft. (3 m), single-leg, 36C (bottom), ALTAK (top), web, ANSI/OSHA	V-TEC PFL 10 ft. (3 m), single-leg, ALTAKS (bottom), ALTAK (top), web, ANSI/OSHA	V-TEC PFL 10 ft. (3 m), single-leg, ALTAK (bottom), ALTAK (top), web, ANSI/OSHA	V-TEC PFL 10 ft. (3 m), single-leg, 36CS (bottom), ALTAK (top), web, ANSI/OSHA
Image					

Legacy	63013-00F, 63013-00L	63013-00G, 63013-00P	63013-00H, 63013-00O	63013-00I, 63013-00C	63013-00J
New	<b>VTOHW-031-DF-A</b>	<b>VTOHW-031-ZA-A</b>	<b>VTOHW-031-ZB-A</b>	<b>VTOHW-031-ZC-A</b>	<b>VTOHW-031-ZD-A</b>
Description	V-TEC PFL 10 ft. (3 m), single-leg, 36CL (bottom), ALTAK (top), web, ANSI/OSHA	V-TEC PFL 10 ft. (3 m), single-leg, AL36CL (bottom), no top connector, web, ANSI/OSHA	V-TEC PFL 10 ft. (3 m), single-leg, 36C (bottom), no top connector, web, ANSI/OSHA	V-TEC PFL 10 ft. (3 m), single-leg, ALTAKS (bottom), no top connector, web, ANSI/OSHA	V-TEC PFL 10 ft. (3 m), single-leg, ALTAK (bottom), no top connector, web, ANSI/OSHA
Image					

Legacy	63203-00A	63203-00B	NEW	NEW	NEW	NEW
New	<b>VTOHG-031-DE-A</b>	<b>VTOHG-031-DM-A</b>	<b>VTOHG-031-DC-A</b>	<b>VTOHG-031-ZC-A</b>	<b>VTOHG-031-ZE-A</b>	<b>VTOHG-031-ZM-A</b>
Description	V-TEC PFL, 10 ft. (3 m), single-leg, 36CS (bottom), ALTAK (top), cable, ANSI/OSHA	V-TEC PFL, 10 ft. (3 m), single-leg, 36CLS (bottom), ALTAK (top), cable, ANSI/OSHA	V-TEC PFL, 10 ft. (3 m), single-leg, ALTAKS (bottom), ALTAK (top), cable, ANSI/OSHA	V-TEC PFL, 10 ft. (3 m), single-leg, ALTAKS (bottom), no top connector, cable, ANSI/OSHA	V-TEC PFL, 10 ft. (3 m), single-leg, 36CS (bottom), no top connector, cable, ANSI/OSHA	V-TEC PFL, 10 ft. (3 m), single-leg, 36CLS (bottom), no top connector, cable, ANSI/OSHA
Image						













# ANSI/OSHA

Legacy	63111-00A, 63111-00X	63111-00B	63111-00C	63111-00D	63111-00E
New	<b>VTOHW-012-RA-A</b>	<b>VTOHW-012-RB-A</b>	<b>VTOHW-012-RC-A</b>	<b>VTOHW-012-RD-A</b>	<b>VTOHW-012-RE-A</b>
Description	V-TEC PFL, 6 ft. (1.8 m), twin-leg, AL36CL (bottom), TLALTAK (top), web, ANSI/OSHA	V-TEC PFL, 6 ft. (1.8 m), twin-leg, 36C (bottom), TLALTAK (top), web, ANSI/OSHA	V-TEC PFL, 6 ft. (1.8 m), twin-leg, ALTAKS (bottom), TLALTAK (top), web, ANSI/OSHA	V-TEC PFL, 6 ft. (1.8 m), twin-leg, ALTAK (bottom), TLALTAK (top), web, ANSI/OSHA	V-TEC PFL, 6 ft. (1.8 m), twin-leg, 36CS (bottom), TLALTAK (top), web, ANSI/OSHA
Image					

Legacy	63111-00F, 63111-00Y	63113-00A	63113-00B	63113-00F
New	<b>VTOHW-012-RF-A</b>	<b>VTOHW-032-RA-A</b>	<b>VTOHW-032-RB-A</b>	<b>VTOHW-032-RF-A</b>
Description	V-TEC PFL, 6 ft. (1.8 m), twin-leg, 36CL (bottom), TLALTAK (top), web, ANSI/OSHA	V-TEC PFL 10 ft. (3 m), twin-leg TLALTAK (top), AL36CL (bottom), web, ANSI/OSHA	V-TEC PFL 10 ft. (3 m), twin-leg TLALTAK (top), 36C (bottom), web, ANSI/OSHA	V-TEC PFL 10 ft. (3 m), twin-leg TLALTAK (top), 36CL (bottom), web, ANSI/OSHA
Image				

# OSHA

Legacy	63041-00A	63141-00A	N/A	N/A
New	<b>VTOHW-011-DJ-O-TB</b>	<b>VTOHW-012-RJ-O-TB</b>	<b>VTOHW-031-DJ-O-TB</b>	<b>VTOHW-032-RJ-O-TB</b>
Description	V-TEC PFL, 6 ft. (1.8 m), single-leg, FP5K (bottom), ALTAK (top), web, OSHA	V-TEC PFL, 6 ft. (1.8 m), twin-leg, FP5K (bottom), TLALTAK (top), web, OSHA	V-TEC PFL 10 ft. (3 m), single-leg ALTAK (top), FP5K-O-TB (bottom), web, OSHA	V-TEC PFL 10 ft. (3 m), twin-leg TLALTAK (top), FP5K-O-TB (bottom), web, OSHA
Image				

<b>Legacy</b>	63011-00ACA, 63011-00MCA, 63011-00PCA	63011-00BCA, 63011-00OCA, 63011-00ACA	63011-00CCA, 63011-00QCA	63011-00DCA, 63011-00NCA
<b>New</b>	<b>VTOHW-011-DA-C</b>	<b>VTOHW-011-DB-C</b>	<b>VTOHW-011-DC-C</b>	<b>VTOHW-011-DD-C</b>
<b>Description</b>	V-TEC PFL, 6 ft. (1.8 m), single-leg, AL36CL (bottom), ALTAK (top), web, ANSI/OSHA	V-TEC PFL, 6 ft. (1.8 m), single-leg, 36C (bottom), ALTAK (top), web, ANSI/OSHA	V-TEC PFL, 6 ft. (1.8 m), single-leg, ALTAKS (bottom), ALTAK (top), web, ANSI/OSHA	V-TEC PFL, 6 ft. (1.8 m), single-leg, ALTAK (bottom), ALTAK (top), web, ANSI/OSHA
<b>Image</b>				
<b>Legacy</b>	63011-00ECA / 63011-00ABCA	63011-00FCA	63011-00GCA	63011-00HCA
<b>New</b>	<b>VTOHW-011-DE-C</b>	<b>VTOHW-011-DF-C</b>	<b>VTOHW-011-ZA-C</b>	<b>VTOHW-011-ZB-C</b>
<b>Description</b>	V-TEC PFL, 6 ft. (1.8 m), single-leg, 36CS (bottom), ALTAK (top), web, ANSI/OSHA	V-TEC PFL, 6 ft. (1.8 m), single-leg, 36CL (bottom), ALTAK (top), web, ANSI/OSHA	V-TEC PFL, 6 ft. (1.8 m), single-leg, AL36CL (bottom), no top connector, web, ANSI/OSHA	V-TEC PFL, 6 ft. (1.8 m), single-leg, 36C (bottom), no top connector, web, ANSI/OSHA
<b>Image</b>				
<b>Legacy</b>	63011-00ICA	63011-00JCA	63011-00KCA	63011-00LCA
<b>New</b>	<b>VTOHW-011-ZC-C</b>	<b>VTOHW-011-ZD-C</b>	<b>VTOHW-011-ZE-C</b>	<b>VTOHW-011-ZF-C</b>
<b>Description</b>	V-TEC PFL, 6 ft. (1.8 m), single-leg, ALTAKS (bottom), no top connector, web, ANSI/OSHA	V-TEC PFL, 6 ft. (1.8 m), single-leg, ALTAK (bottom), no top connector, web, ANSI/OSHA	V-TEC PFL, 6 ft. (1.8 m), single-leg, 36CS (bottom), no top connector, web, ANSI/OSHA	V-TEC PFL, 6 ft. (1.8 m), single-leg, 36CL (bottom), no top connector, web, ANSI/OSHA
<b>Image</b>				

Legacy	63013-00ACA, 63013-00MCA	63013-00BCA	63013-00DCA, 63013-00NCA	63013-00ECA, 63013-00KCA, 63013-00ABCA	63013-00FCA, 63013-00LCA
New	<b>VTOHW-031-DA-C</b>	<b>VTOHW-031-DB-C</b>	<b>VTOHW-031-DD-C</b>	<b>VTOHW-031-DE-C</b>	<b>VTOHW-031-DM-C</b>
Description	V-TEC PFL 10 ft. (3 m), single-leg ALTAK (top), AL36CL (bottom), web, CSA	V-TEC PFL 10 ft. (3 m), single-leg ALTAK (top), AL36C (bottom), web, CSA	V-TEC PFL 10 ft. (3 m), single-leg ALTAK (top), ALTAK (bottom), web, CSA	V-TEC PFL 10 ft. (3 m), single-leg ALTAK (top), AL36CS (bottom), web, CSA	V-TEC PFL 10 ft. (3 m), single-leg ALTAK (top), AL36CLS (bottom), web, CSA
Image					

Legacy	63013-00GCA, 63013-00PCA	63013-00HCA, 63013-00OCA	63013-00ICA,	63013-00JCA
New	<b>VTOHW-031-ZA-C</b>	<b>VTOHW-031-ZB-C</b>	<b>VTOHW-031-ZC-C</b>	<b>VTOHW-031-ZD-C</b>
Description	V-TEC PFL 10 ft. (3 m), single-leg no top connector, AL36CL (bottom), web, CSA	V-TEC PFL 10 ft. (3 m), single-leg no top connector, 36C (bottom), web, CSA	V-TEC PFL 10 ft. (3 m), single-leg no top connector, ALAKS (bottom), web, CSA	V-TEC PFL 10 ft. (3 m), single-leg no top connector, ALTAK (bottom), web, CSA
Image				

Legacy	63203-00ACA	63203-00BCA	NEW	NEW	NEW	NEW
New	<b>VTOHG-031-DE-C</b>	<b>VTOHG-031-DM-C</b>	<b>VTOHG-031-DC-C</b>	<b>VTOHG-031-ZC-C</b>	<b>VTOHG-031-ZE-C</b>	<b>VTOHG-031-ZM-C</b>
Description	V-TEC PFL, 10 ft. (3 m), single-leg, 36CS (bottom), ALTAK (top), cable, CSA	V-TEC PFL, 10 ft. (3 m), single-leg, 36CLS (bottom), ALTAK (top), cable, CSA	V-TEC PFL, 10 ft. (3 m), single-leg, ALAKS (bottom), ALTAK (top), cable, CSA	V-TEC PFL, 10 ft. (3 m), single-leg, ALAKS (bottom), no top connector, cable, CSA	V-TEC PFL, 10 ft. (3 m), single-leg, 36CS (bottom), no top connector, cable, CSA	V-TEC PFL, 10 ft. (3 m), single-leg, 36CLS (bottom), no top connector, cable, CSA
Image						

Legacy	63111-00ACA	63111-00BCA	63111-00CCA	63111-00DCA	63111-00ECA
New	<b>VTOHW-012-RA-C</b>	<b>VTOHW-012-RB-C</b>	<b>VTOHW-012-RC-C</b>	<b>VTOHW-012-RD-C</b>	<b>VTOHW-012-RE-C</b>
Description	V-TEC PFL, 6 ft. (1.8 m), twin-leg, AL36CL (bottom), TLALTAK (top), web, CSA	V-TEC PFL, 6 ft. (1.8 m), twin-leg, 36C (bottom), TLALTAK (top), web, CSA	V-TEC PFL, 6 ft. (1.8 m), twin-leg, ALTAKS (bottom), TLALTAK (top), web, CSA	V-TEC PFL, 6 ft. (1.8 m), twin-leg, ALTAK (bottom), TLALTAK (top), web, CSA	V-TEC PFL, 6 ft. (1.8 m), twin-leg, 36CS (bottom), TLALTAK (top), web, CSA
Image					

Legacy	63111-00FCA	63113-00ACA	63113-00BCA	63113-00FCA
New	<b>VTOHW-012-RM-C</b>	<b>VTOHW-032-RA-C</b>	<b>VTOHW-032-RB-C</b>	<b>VTOHW-032-RM-C</b>
Description	V-TEC PFL, 6 ft. (1.8 m), twin-leg, 36CLS (bottom), TLALTAK (top), web, CSA	V-TEC PFL 10 ft. (3 m), twin-leg TLALTAK (top), AL36CL (bottom), web, CSA	V-TEC PFL 10 ft. (3 m), twin-leg TLALTAK (top), 36C (bottom), web, CSA	V-TEC PFL 10 ft. (3 m), twin-leg TLALTAK (top), 36CLS (bottom), web, CSA
Image				



# MSA—The Safety Company

*Established in 1914, MSA Safety Incorporated is the global leader in the development, manufacture, and supply of safety products that protect people and facility infrastructures. Many MSA products integrate a combination of electronics, mechanical systems, and advanced materials to protect users against hazardous or life-threatening situations. The company's comprehensive product line is used by workers around the world in a broad range of markets, including the oil, gas, and petrochemical industry, the fire service, the construction industry, mining, and the military. MSA's core products include self-contained breathing apparatus, fixed gas and flame detection systems, portable gas detection instruments, industrial head protection products, firefighter helmets and protective apparel, and fall protection devices. With 2023 revenues of \$1.8 billion, MSA employs approximately 4,800 people worldwide. The company is headquartered north of Pittsburgh in Cranberry Township, PA, and has manufacturing operations in the United States, Europe, Asia, and Latin America. With more than 40 international locations, MSA realizes approximately half of its revenue from outside North America. For more information visit MSA's web site at [www.MSAafety.com](http://www.MSAafety.com).*

## **Our Mission**

MSA's mission is to see to it that men and women may work in safety and that they, their families, and their communities may live in health throughout the world.

## **MSA: WE KNOW WHAT'S AT STAKE.**

Note: This Bulletin contains only a general description of the products shown. While product uses and performance capabilities are generally described, the products shall not, under any circumstances, be used by untrained or unqualified individuals. The products shall not be used until the product instructions/user manual, which contains detailed information concerning the proper use and care of the products, including any warnings or cautions, have been thoroughly read and understood. Specifications are subject to change without prior notice. MSA is a registered trademark of MSA Technology, LLC in the US, Europe, and other Countries. For all other trademarks visit <https://us.msafety.com/Trademarks>.

MSA operates in over 40 countries worldwide. To find an MSA office near you, please visit **[MSAsafety.com/offices](http://MSAsafety.com/offices)**.