

V-EDGE™ 8 ft. (2.4 m) Personal Fall Limiters



Specifically engineered and tested for use at foot-level tie-off, the V-EDGE PFL meets ANSI Z359.14-2014 and CSA Z259.2.2-2017 Leading Edge requirements.



Simplified Selection

The V-EDGE PFL can be used in a variety of applications where sharp edge hazards are a concern, making product selection simple.



Move Easier

Reduce potential snag hazards with the lowest-profile housing on the market.



Easy to Connect

Get to work faster. Save time and frustration with a sleek and simple locking pin attachment.



Lower Cost of Ownership

With a stainless steel housing and protective cover for the energy absorber, the V-EDGE PFL is built to fight the toughest elements, saving you time and money on product replacements.



WE KNOW WHAT'S AT STAKE.

Ordering Information

PART NO.	Type		Line Length	Line Type	Anchorage Connection	Harness Connection	Standards	
	Single-leg	Twin-leg					ANSI	OSHA
63062-00A	■		8 ft. (2.4 m)	Cable	AL36CL Snaphook	Locking Pin	■	■
63062-00E	■		8 ft. (2.4 m)	Cable	36CS Snaphook	Locking Pin	■	■
63062-00F	■		8 ft. (2.4 m)	Cable	36CL Snaphook	Locking Pin	■	■
63062-00ACA	■		8 ft. (2.4 m)	Cable	AL36CL Snaphook	Locking Pin	■	■
63062-00ECA	■		8 ft. (2.4 m)	Cable	36CS Snaphook	Locking Pin	■	■
63062-00FCA	■		8 ft. (2.4 m)	Cable	36CL Snaphook	Locking Pin	■	■
63162-00A		■	8 ft. (2.4 m)	Cable	AL36CL Snaphook (2)	Locking Pin	■	■
63162-00E		■	8 ft. (2.4 m)	Cable	36CS Snaphook (2)	Locking Pin	■	■
63162-00F		■	8 ft. (2.4 m)	Cable	36CL Snaphook (2)	Locking Pin	■	■
63162-00ACA		■	8 ft. (2.4 m)	Cable	AL36CL Snaphook (2)	Locking Pin	■	■
63162-00ECA		■	8 ft. (2.4 m)	Cable	36CS Snaphook (2)	Locking Pin	■	■
63162-00FCA		■	8 ft. (2.4 m)	Cable	36CL Snaphook (2)	Locking Pin	■	■



Note: This Bulletin contains only a general description of the products shown. While product uses and performance capabilities are generally described, the products shall not, under any circumstances, be used by untrained or unqualified individuals. The products shall not be used until the product instructions/user manual, which contains detailed information concerning the proper use and care of the products, including any warnings or cautions, have been thoroughly read and understood. Specifications are subject to change without prior notice. MSA is a registered trademark of MSA Technology, LLC in the US, Europe, and other Countries. For all other trademarks visit <https://us.msasafety.com/Trademarks>.

MSA operates in over 40 countries worldwide. To find an MSA office near you, please visit [MSAsafety.com/offices](https://us.msasafety.com/offices).