

Dräger accuro Pump for Gas Detection Tubes

Fast measurement with one hand: The Dräger-Tube pump accuro allows you to use the established Dräger-Tubes to take measurements under extreme conditions. The easy-to-use Dräger-Tubes have already been calibrated and form a perfect unit with the Dräger-Tube pump.



Visit: www.thesafetyequipmentstore.com Or Email: besafe@thesafetyequipmentstore.com for Sales & Service.

Benefits

Mobile spot measurement

This manual pump is used for spot measurements such as the detection of concentration peaks, confined space entry, worst-case scenarios etc.

Functional bellows pump

The Dräger-Tube pump accuro draws in 100 ml per stroke. When measuring, the pump body (bellows) is pressed together completely. The exhaust valve is closed during the opening phase of the bellows so that the gas sample flows through the connected Dräger-Tube into the pump. After the complete opening of the pump body into its original position the suction process is finished. The end of stroke is visible by a pressure-controlled end of stroke indication, located in the pump head.

Sampling


During the sampling process the substances to be evaluated are firstly accumulated on a suitable carrier material, e.g. activated charcoal, silica gel and so on. The air to be evaluated is thereby drawn over the respective material - with a predefined flow rate and duration. Afterwards, the substances that have accumulated on the carrier material through adsorption or chemisorption are examined qualitatively and quantitatively in the laboratory using instrumental analysis such as gas chromatography.

One-handed operation

Frequently, measurements need to take place under extreme conditions, e.g. on ladders, in shafts or when wearing heavy breathing protection. The Dräger-Tube pump accuro can easily be operated with one hand and enables a reliable measurement also in difficult-to-access places.

Visit: www.thesafetyequipmentstore.com Or Email: besafe@thesafetyequipmentstore.com for Sales & Service.

System Components



ST-36-2001

Dräger-tubes® for short-term measurements

The Draeger short-term detector tubes have proven to be a very cost-effective and reliable way to measure toxic gases and vapors in the workplace.



2-925-91

Dräger sampling tubes and systems

High precision guaranteed: The Dräger sampling tubes and systems are very reliable in use even with complex compounds and mixtures of substances.

Accessories



ST-1990-2005

Dräger TO 7000

Using the tube opener Dräger TO 7000, conventional Short-Term Tubes as well as Ampoule and Double Tubes can be opened safely with few jagged edges left behind.

Visit: www.thesafetyequipmentstore.com Or Email: besafe@thesafetyequipmentstore.com for Sales & Service.

Accessories

ST-14319-2008



Dräger accuro extension hoses

For use in hard-to-access locations such as shafts.

Available in the following sizes:

- 1 m
- 3 m
- 10 m
- 15 m

D-13066-2010



Hot air probe

Enables the measurement of extremely hot gases, e.g. in combustion plants (up to 650 °C).

D-13067-2010



Vehicle exhaust probe

For measuring exhaust gases from internal combustion engines.

D-13069-2010



Bar probe 400

Is used for clearance measurements in containers, e.g. intermodal shipping containers.

Related Products



D-12091-2010

Dräger X-act® 5000 Basic

The automatic tube pump Dräger X-act® 5000 Basic is the all-in-one solution designed for measurements with Dräger short-term tubes and for sampling tubes and systems. Ease of operation and a high degree of reliability compliment the measurement and sampling of gases, vapors and aerosols.

Technical Data

Dimensions (W x H x D)	170 x 45 x 85 mm (6.7 x 1.8 x 3.3 in)
Stroke volume	100 ±5 cm ³
Weight	250 g 8.8 oz
Ambient conditions	Temperature: -20 °C to +50 °C (-4 °F to +122 °F) Relative humidity: 0 – 95 % non-condensing
Approvals	CE-certified (EN 0158) ATEXI M1 II 1GD IIB 85°C T6 II 2G IIC T6 -20 °C ≤ Ta ≤ +50 °C DIN-EN ISO17621

Ordering Information

Description	Content	Order no.
Dräger accuro	Gas detector pump Dräger accuro and tube opener Dräger TO 7000	64 00 000
Soft-Side accuro kit	accuro pump, tube opener, spare parts, allen tool, and nylon case	83 17 186
Hard-Side accuro kit	accuro pump, tube opener, spare parts, allen tool, rubber caps and molded case	40 56 443
Spare parts kit for Dräger accuro	6 x valve disc, 1 x window, 3 x membrane, 1 x insert and 1 x grommet	64 00 220
Extension hose 1 m	Incl. adapter for Simultaneous Test Set	64 00 561
Extension hose 3 m	Incl. adapter for tubes and adapter for hose in a carrying box	64 00 077
Extension hose 10 m	Incl. adapter for tubes and adapter for hose	64 00 078
Extension hose 15 m	Incl. adapter for tubes and adapter for hose	64 00 079
Tube opener Dräger TO 7000		64 01 200
Adapter for Dräger simultaneous test set	Incl. cutting holder and adapter	64 00 090
Additional accessories upon request.		

Visit: www.thesafetyequipmentstore.com Or Email: besafe@thesafetyequipmentstore.com for Sales & Service.

Notes

Visit: www.thesafetyequipmentstore.com Or Email: besafe@thesafetyequipmentstore.com for Sales & Service.

Notes

Visit: www.thesafetyequipmentstore.com Or Email: besafe@thesafetyequipmentstore.com for Sales & Service.

Not all products, features, or services are for sale in all countries.
Mentioned Trademarks are only registered in certain countries and not necessarily in the country in which this material is released. Go to www.draeger.com/trademarks to find the current status.

CORPORATE HEADQUARTERS

Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany
www.draeger.com

USA

Draeger, Inc.
7256 S. Sam Houston Parkway W.,
Suite 100
Houston, TX 77085
1 800 4DRAGER
(1 800 437 2437)

CANADA

Draeger Safety Canada, Ltd.
2425 Skymark Ave., Unit 1
Mississauga, Ontario L4W 4Y6
1 877 DRAGER1
(1 877 372 4371)

Distributed By:
The Safety Equipment Store®
www.thesafetyequipmentstore.com
Email: besafe@thesafetyequipmentstore.com

Locate your Regional
Sales Representative at:
www.draeger.com/contact

